

SHIGEHICO SUGASAWA

BIBLIOGRAPHY

- I STUDIES ON THE SYNTHESSES OF AMINO ACID, INDOLE, MORPHINE AND FLAVONE
- 1 Synthese der Glutaminsäure (I) (dl-Glutaminsäure aus Acrolein). S. Keimatsu und S. Sugasawa, J. Pharm. Soc. Japan, 1926, 46, 369.
 - 2 Synthese der Glutaminsäure (II). S. Sugasawa, J. Pharm. Soc. Japan, 1926, 46, 635.
 - 3 Synthese der Glutaminsäure (III). Über die optische Spaltung der rac-Glutaminsäure. S. Sugasawa, J. Pharm. Soc. Japan, 1926, 46, 934.
 - 4 Synthese der Glutaminsäure (IV). Einige neue Derivate der Glutaminsäure. S. Sugasawa, J. Pharm. Soc. Japan, 1927, 47, 359.
 - 5 Studien zur Synthese der Glutaminsäure (V). Synthese der N-Alkylglutaminsäure. S. Sugasawa, J. Pharm. Soc. Japan, 1927, 47, 1041.
 - 6 Studien zur Synthese von Aminosäuren (VI). Synthese des rac-Lysins. S. Sugasawa, J. Pharm. Soc. Japan, 1927, 47, 1044.
 - 7 Studien zur Synthese von Aminosäuren (VII). Synthese des rac-Ornithins. S. Keimatsu und S. Sugasawa, J. Pharm. Soc. Japan, 1928, 48, 24.
 - 8 Studien zur Synthese der Indolderivaten (I). Synthese des

- Physostigmoläthyläthers. S. Keimatsu und S. Sugasawa, J. Pharm. Soc. Japan, 1928, 48, 348.
- 9 Studien zur Synthese der Indolderivaten (II). Synthese einiger Indolcarbonsäuren. S. Keimatsu und S. Sugasawa, J. Pharm. Soc. Japan, 1928, 48, 755.
- 10 Studien zur Synthese von Indolderivaten (III). Neue Methode zur Synthese des 3-Keto-3,4,5,6-tetrahydro-4-carbolins. S. Keimatsu, S. Sugasawa, und G. Kasuya, J. Pharm. Soc. Japan, 1928, 48, 762.
- 11 Studien zur Synthese von Indol-derivaten (IV). Synthese des N-β-Phenäthyloxindols (Vorläufige Mitteilung zur Synthese von 2,3,11,12-Tetramethoxy-8-methyldibenzotetrahydropyrrocolinium-salzen). S. Keimatsu, S. Sugasawa, und Nanjun Lee, J. Pharm. Soc. Japan, 1937, 57, 294.
- 12 Preliminary Synthetical Experiments in the Morphine Group. Part I. R. Robinson and S. Sugasawa, J. Chem. Soc., 1931, 3163.
- 13 Preliminary Synthetical Experiments in the Morphine Group. Part II. Some Derivatives of Diphenyl Ether. R. Robinson and S. Sugasawa, J. Chem. Soc., 1931, 3173.
- 14 Preliminary Synthetic Experiments in the Morphine Group. Part IV. A Dehydro-derivative of Laudanosoline Hydrochloride and its Constitution. R. Robinson and S. Sugasawa, J. Chem. Soc., 1932, 789.
- 15 Preliminary Synthetic Experiments in the Morphine Group. Part V. Completion of the Synthesis of Laudanosoline Dimethyl Ether Related to Sinomenine. R. Robinson and S. Sugasawa,

- J. Chem. Soc., 1933, 280.
- 16 Anthoxanthins. Part XI. A Synthesis of Diosmetin and of Luteolin 3'-Methyl Ether. A. Lovecy, R. Robinson, and S. Sugawara, J. Chem. Soc., 1930, 817.
- 17 An Attempted Synthesis of Primetin. S. Sugawara, J. Chem. Soc., 1933, 1621; S. Sugawara, J. Pharm. Soc. Japan, 1934, 54, 295.
- 18 The Synthesis of 5-Hydroxyflavone. S. Sugawara, J. Chem. Soc., 1934, 1483; S. Sugawara, Proc. Imp. Acad. (Tokyo), 1934, 10, 338; S. Sugawara und M. Kuriyagawa, J. Pharm. Soc. Japan, 1935, 55, 176.
- 19 Synthese des 5-Oxy-6-aminoflavons. S. Sugawara, J. Pharm. Soc. Japan, 1936, 56, 560.
- 20 Ueber die Synthese des Succindialdehyds. S. Sugawara, J. Pharm. Soc. Japan, 1927, 47, 551.
- 21 Ueber die Esterifizierungsmethode nach M. M. R. Locquin und F. Elghozy. S. Sugawara, J. Pharm. Soc. Japan, 1927, 47, 1050.
- 22 Synthese einiger Phenyllessigsäuren. S. Sugawara und T. Tsuda, J. Pharm. Soc. Japan, 1935, 55, 1050.
- 23 Über die Reaktion zwischen Chinolin, Säure-chlorid und Kalium Cyanid. S. Sugawara und T. Tsuda, J. Pharm. Soc. Japan, 1936, 56, 557.
- II STUDIES ON THE SYNTHESSES OF HETEROCYCLIC COMPOUNDS CONTAINING NITROGEN
- 24 Synthese der N-Haltigen Hetero-ringe. S. Sugawara, J. Pharm.

- Soc. Japan, 1937, 57, 557.
- 25 The Synthesis of dl-Homolaudanosoline and its Dehydrogenation. S. Sugasawa and H. Yoshikawa, J. Chem. Soc., 1933, 1583; S. Sugasawa and H. Yoshikawa, J. Pharm. Soc. Japan, 1935, 54, 224.
- 26 Synthese der papaverinverwandten Verbindung II. Synthese des 1-(3',4',5'-Trimethoxyphenyl)-6,7-diäthoxyisochinolins. S. Sugasawa, J. Pharm. Soc. Japan, 1935, 55, 224.
- 27 Synthese der papaverinverwandten Verbindungen III. Einige Experimente über die Synthese des Papaverins. S. Sugasawa und T. Tsuda, J. Pharm. Soc. Japan, 1935, 55, 1044.
- 28 Synthese der papaverinverwandten Verbindungen IV. Synthese des 1-(3',4',5'-Trimethoxyphenyl)-6-propyloxy-7-methoxyisochinolins. S. Sugasawa und K. Kakemi, J. Pharm. Soc. Japan, 1935, 55, 1283.
- 29 Synthese der papaverinverwandten Verbindungen V. Synthese des 1-(3',4'-Methylendioxybenzyl)-3-methyl-6,7-methylendioxyisochinolins und ähnlicher Verbindungen. S. Sugasawa und K. Sakurai, J. Pharm. Soc. Japan, 1936, 56, 563.
- 30 Synthesen von Pyridyl-isochinolin-derivaten (Vorläufige Mitteil). S. Sugasawa und M. Kuriyagawa, Ber., 1936, 69B, 2068; cf. S. Sugasawa, K. Sakurai, M. Fujisawa, and N. Sugimoto, J. Pharm. Soc. Japan, 1940, 60, 140.
- 31 Synthese der papaverinverwandten Verbindungen VI. Synthese der 3-Methylisochinolin-derivate. S. Sugasawa und K. Kakemi, J. Pharm. Soc. Japan, 1937, 57, 172.
- 32 Synthese der Benzolazochinolin-derivaten. S. Sugasawa, K. Kobayashi, und M. Kohara, J. Pharm. Soc. Japan, 1938, 58, 265.

- 33 Synthese der 1,1'-Di-isochinolylsulfid, -sulfoxy und -sulfon. S. Sugawara und K. Kobayashi, J. Pharm. Soc. Japan, 1944, 64, 186.
- 34 Synthese der 1,1'-Di-isochinolyläther-derivaten. S. Sugawara, K. Kobayashi, und H. Kawamura, J. Pharm. Soc. Japan, 1945, 65B, 374.
- 35 Der Versuch zur Synthese von 1,1'-Di-isochinolyldialkylamin-derivaten. S. Sugawara, K. Kobayashi, und H. Kawamura, J. Pharm. Soc. Japan, 1945, 65B, 376.
- 36 Synthese der 1,1'-Diphenyl-7,7'-dimethoxy-3,4,3',4'-tetrahydro-6,6'-di-isochinolyläther. S. Sugawara und K. Kobayashi, J. Pharm. Soc. Japan, 1945, 65B, 379.
- 37 Synthese der 1-tert-Butyl- und 1-(β,β -Dimethyl-n-propyl)-3-methyl-6,7-methylenedioxyisochinolin. S. Sugawara, T. Sugiura, und M. Kawanishi, J. Pharm. Soc. Japan, 1945, 65B, 450.
- 38 Synthesis of 1-tert-Alkylisoquinolines. S. Sugawara and N. Yoshida, J. Pharm. Soc. Japan, 1954, 74, 625.
- 39 Synthesis of 1-tert-Alkyl-6,7-dimethoxyisoquinolines. M. Murayama, Chem. and Pharm. Bull. (Japan), 1958, 6, 186.
- 40 Synthesis of 2,2'-Polymethylene-bis(Py-tetrahydroisoquinoline) Derivatives I. Synthesis of 2,2'-Ethylene-bis(3-methyl-6,7-methylenedioxy-Py-tetrahydroisoquinoline). S. Sugawara, T. Fujisawa, and K. Okada, Pharm. Bull. (Japan), 1953, 1, 80.
- 41 Synthesis of 2,2'-Polymethylene-bis(Py-tetrahydroisoquinoline) Derivatives II. Synthesis of 2,2'-Polymethylene-bis(3-methyl-6,7-methylenedioxy-Py-tetrahydroisoquinoline). T. Fujisawa, Pharm. Bull. (Japan), 1954, 2, 343.

- 42 Synthesis of some 1-Substituted Isoquinoline Derivatives. S. Sugasawa, K. Sakurai, M. Fujisawa, and N. Sugimoto, J. Pharm. Soc. Japan, 1940, 60, 140.
- 43 Direction of Isoquinoline Ring-Closure by Bischler-Napieralski Reaction. S. Sugasawa and H. Shigehara, J. Pharm. Soc. Japan, 1942, 62, 386.
- 44 A Simplified Isoquinoline Synthesis I. S. Sugasawa, S. Toda, and H. Tomiyama, J. Pharm. Soc. Japan, 1952, 72, 252.
- 45 Studies on Synthetic Curariform Substance I. Synthesis of Decamethonium and its Derivatives. M. Onda, J. Pharm. Soc. Japan, 1954, 74, 911.
- 46 Studies on Synthetic Curariform Substance II. Synthesis of Derivatives of 2,2'-Decamethylene-bis(1,2,3,4-tetrahydroisoquinoline). M. Onda, J. Pharm. Soc. Japan, 1954, 74, 915.
- 47 Studies on Synthetic Curariform Substance III. Synthesis of Derivatives of α, θ -Bis(2-methyl-1,2,3,4-tetrahydroisoquinolyl-1)octane. M. Onda, J. Pharm. Soc. Japan, 1954, 74, 918.
- 48 Studies on Synthetic Curariform Substance IV. Resolution of Stereoisomers of α, θ -Bis(2-methyl-1,2,3,4-tetrahydroisoquinolyl-1)octane Derivatives. M. Onda, J. Pharm. Soc. Japan, 1954, 74, 921.
- 49 Studies on Synthetic Curariform Substance V. Synthesis of Derivatives of Bis(2-methyl-1,2,3,4-tetrahydroisoquinoline)-Possessing Hydroquinone Ether Linkage. M. Onda, J. Pharm. Soc. Japan, 1954, 74, 925.
- 50 Studies on Synthetic Curariform Substance VI. Resolution of Stereoisomers of Bis(2-methyl-1,2,3,4-tetrahydroisoquinoline)-

- Derivatives Possessing Hydroquinone Ether Linkage. M. Onda, J. Pharm. Soc. Japan, 1954, 74, 928.
- 51 Studies on Synthetic Curariform Substance VII. Synthesis of 7,7'-Ethylenedioxy-bis(1-veratryl-6-methoxy-2-methyl-1,2,3,4-tetrahydroisoquinoline) Dimethiodide. M. Onda, J. Pharm. Soc. Japan, 1954, 74, 931.
- 52 Synthesis of 6,7-Dimethoxy-3-(3',4'-dimethoxybenzyl)isoquinoline. S. Sugawara and R. Tachikawa, J. Pharm. Soc. Japan, 1954, 74, 619.
- 53 Mechanism of the Mannich Isoquinoline Cyclization. N. Yoshida, J. Pharm. Soc. Japan, 1954, 74, 633.
- 54 Synthesis of 1-(3,4-Methylenedioxyphenyl)-3,5-dimethyl-7,8-methylenedioxyisoquinoline. S. Sugawara and T. Hino, Pharm. Bull. (Japan), 1954, 2, 242.
- 55 Synthesis of 1-Isoquinolylacetic Acid Derivatives. M. Murayama, Chem. and Pharm. Bull. (Japan), 1958, 6, 183.
- 56 Synthesis of 1-p-Methoxybenzyl-1,2,3,4,5,6,7,8-octahydroisoquinoline. S. Sugawara and R. Tachikawa, J. Org. Chem., 1959, 24, 2043.
- 57 Synthesis of 6,7-Dihydroxy-1,2,3,4-tetrahydroisoquinoline Derivatives. E. Yamato, M. Hirakura, and S. Sugawara, Tetrahedron, 1966, Suppl. 8, Part I, 129.
- 58 Synthesis and Structure of 4-Substituted Decahydroisoquinoline Derivatives. N. Itoh, Chem. and Pharm. Bull. (Japan), 1968, 16, 455.
- 59 Synthese der N-haltigen Hetero-ring VIII. II Gruppe: Synthese in der Chinolin-reihe I. Neue Synthese des Chinolins.

- S. Sugawara and K. Kakemi, J. Pharm. Soc. Japan, 1937, 57, 745.
- 60 A. Synthesis of 6,7-Dimethoxyquinoline. S. Sugawara, K. Kakemi, and T. Tsuda, J. Pharm. Soc. Japan, 1938, 58, 402; Proc. Imp. Acad. (Tokyo), 1938, 14, 67.
- 61 Preparation of Some 2-Quinolones. S. Sugawara, S. Akahoshi, J. Himizu, and M. Kawazu, J. Pharm. Soc. Japan, 1952, 72, 190.
- 62 Synthese der N-haltigen Hetero-Ring (X). III Gruppe: Synthese in den Indol-Derivaten (I). Neue Synthese von Indol. S. Sugawara, I. Satoda, und J. Yanagisawa, J. Pharm. Soc. Japan, 1938, 58, 139.
- 63 Indole-cyclization of Methyl Propyl Ketone Phenylhydrozone. S. Sugawara and S. Nakamura, J. Pharm. Soc. Japan, 1953, 73, 647.
- 64 Synthesis of dl-Esermethole. S. Sugawara and M. Murayama, Chem. and Pharm. Bull. (Japan), 1958, 6, 194.
- 65 Synthesis of Homoeremethole. S. Sugawara and M. Murayama, Chem. and Pharm. Bull. (Japan), 1958, 6, 200.
- 66 On the Reaction of N,N'-Dimethylfumaranylilide with Aluminium Chloride. T. Hino and T. Shioiri, Chem. and Pharm. Bull. (Japan), 1960, 8, 839.
- 67 Synthetic Approaches to Calycanthaceae Alkaloids II. A Synthesis of 1,1'-Dimethyl-3,3'-bis(2-aminoethyl)-3,3'-bioxindole. T. Hino, Chem. and Pharm. Bull. (Japan), 1961, 9, 979.
- 68 Synthetic Approaches to Calycanthaceae Alkaloids III. Reductive Cyclization of 3,3'-Bioxindole (1). A Formation

- of 5,7-Dimethyl-11b,11c-bis(2-dimethylaminoethyl)-5,5a,6a,7,11b,11c-hexahydrofuro[2,3-b:5,4-b']diindole. T. Hino, Chem. and Pharm. Bull. (Japan), 1961, 9, 988.
- 69 The Reductive Cyclization of 1-Methyl-3-aminoalkyloxindoles with Lithium Aluminium Hydride. S. Yamada, T. Hino, and K. Ogawa, Chem. and Pharm. Bull. (Japan), 1963, 11, 674.
- 70 Total Synthesis of (±)-Folicanthine. T. Hino and S. Yamada, Tetrahedron Letters, 1963, 1757.
- 71 Synthesis of Isoindoline Derivatives I. Synthesis of 1-Benzyl-isoindoline. S. Sugawara and H. Shigehara, J. Pharm. Soc. Japan, 1943, 63, 98.
- 72 Synthesis of Isoindoline Derivatives II. H. Shigehara, J. Pharm. Soc. Japan, 1944, 64, 9.
- 73 Synthese der N-haltigen Hetero-Ring (IX). IV Gruppe: Synthese in den Kondensierten N-Ringen (I). Synthese der Dibenzochinolicin-Derivate. S. Sugawara, J. Pharm. Soc. Japan, 1937, 57, 1028.
- 74 Studien zur Synthese von Dibenzochinolizin. S. Sugawara, J. Pharm. Soc. Japan, 1940, 60, 1.
- 75 Studien zur Synthese von Dibenzochinolizin-Derivaten (I). Synthese von 4',5',4'',5''-Tetramethoxy-1,2,5,6-tetrahydro-[1',2':3,4;1'',2'':7,8-dibenzochinolizin]. S. Sugawara und K. Kakemi, Ber., 1938, 71B, 1860; S. Sugawara und K. Kakemi, Proc. Imp. Acad. (Tokyo), 1938, 14, 214; K. Kakemi, J. Pharm. Soc. Japan, 1940, 60, 2.
- 76 Studien zur Synthese von Dibenzochinolizin-Derivaten (II). Synthese von 4',5'-Dimethoxy-4'',5''-methylenedioxy-3,4,5,6-

- tetrahydro[1',2':1,2;1",2":7,8-dibenzochinolizin] und der entsprechenden Tetramethoxy-Verbindung. S. Sugasawa und K. Kakemi, Ber., 1939, 72B, 980; S. Sugasawa und K. Kakemi, Proc. Imp. Acad. (Tokyo), 1939, 15, 52; K. Kakemi, J. Pharm. Soc. Japan, 1940, 60, 6.
- 77 Studien zur Synthese von Dibenzochinolizin-Derivaten (III). Synthese von 3',4',3",4"-Tetramethoxy-1,4,5,8-tetrahydro-[1',6':2,3;1",6":6,7-dibenzochinolizin]. S. Sugasawa, K. Kakemi und H. Kazumi, Ber., 1940, 73B, 782; S. Sugasawa, K. Kakemi, und H. Kazumi, Proc. Imp. Acad. (Tokyo), 1939, 15, 223, K. Kakemi, J. Pharm. Soc. Japan, 1940, 60, 11.
- 78 Studien zur Synthese von Dibenzochinolizin-Derivaten (IV). Synthese von 3',4',3",4"-Tetramethoxy-1,2,5,8-tetrahydro-[1',6':3,4;1",6":6,7-dibenzochinolizin]. S. Sugasawa, K. Kodama, und H. Inagaki, Ber., 1941, 74B, 455; S. Sugasawa, K. Kodama, und H. Inagaki, Proc. Imp. Acad. (Tokyo), 1940, 16, 473; S. Sugasawa, K. Kodama, and H. Inagaki, J. Pharm. Soc. Japan, 1941, 61, 491.
- 79 Studien zur Synthese von Dibenzochinolizin-Derivaten (V). Synthese von 4',5':4",5"-Tetramethoxy-5,6,7,8-(1',2':1,2;1",2":3,4-dibenzochinolizin). S. Sugasawa und S. Ohki, J. Pharm. Soc. Japan, 1942, 62, 396; Proc. Imp. Acad. (Tokyo), 1942, 18, 287.
- 80 Studien zur Synthese von Dibenzochinolizin-Derivaten (VI). Synthese von 4',5'-Dimethoxy-1,2,5,6,7,8,3",4",5",6"-decahydro-(1',2':3,4';1",2":5,6-dibenzochinolizin). S. Sugasawa and N. Sugimoto, J. Pharm. Soc. Japan, 1943, 63, 127; Proc. Imp. Acad. (Tokyo), 1942, 18, 658.

- 81 Synthesis of 3',4':3'',4''-Tetramethoxy-1,4,5,8-tetrahydro-(1',6':2,3;1'',6'':6,7-dibenzoquinolizine). S. Sugasawa and R. Tachikawa, Pharm. Bull. (Japan), 1954, 2, 297.
- 82 Studien zur Synthese von Dibenzoindolizin-Derivaten (I). Synthese von 4',5':4'',5''-Tetramethoxy-3,8,4,7-tetrahydro-[1',2'':1,2;1'',2'':5,6-dibenzoindolizin]. S. Sugasawa and K. Kodama, Ber., 1941, 74B, 1237; S. Sugasawa, K. Kodama, and K. Akatsuka, Proc. Imp. Acad. (Tokyo), 1941, 16, 102; S. Sugasawa, K. Kodama, and K. Akatsuka, J. Pharm. Soc. Japan, 1941, 61, 494.
- 83 Studien zur Synthese von Dibenzoindolizin-Derivaten (II). Über die Synthese von Dimethyl-1,8,4,5-tetrahydro-(1',2':2,3;1'',2'':6,7-dibenzoindolizin). S. Sugasawa, und K. Kodama, Proc. Imp. Acad. (Tokyo), 1941, 16, 418; J. Pharm. Soc. Japan, 1942, 62, 367.
- 84 Studien zur Synthese von Dibenzoindolizin-Derivaten (II). Ergänzung. S. Sugasawa und K. Kodama, J. Pharm. Soc. Japan, 1943, 63, 96.
- 85 Studien zur Synthese von Dibenzoindolizin-Derivaten (III). Synthese von 4',5':4'',5''-Tetramethoxy-1,2,3,8-tetrahydro-(1',2':4,5;1'',2'':6,7-dibenzoindolizin). S. Sugasawa und S. Ohki, J. Pharm. Soc. Japan, 1942, 62, 398; Proc. Imp. Acad. (Tokyo), 1942, 18, 291.
- 86 Studien zur Synthese von Dibenzoindolizin-Derivaten (IV). Synthese von 4'',5''-Dimethoxy-1,8,4,7-tetrahydro-(1',2':2,3;1'',2'':5,6-dibenzoindolizin). S. Sugasawa und K. Kodama,

- Proc. Imp. Acad. (Tokyo), 1942, 18, 565; K. Kodama, J. Pharm. Soc. Japan, 1943, 63, 54.
- 87 Studien zur Synthese von Dibenzoindolizin-Derivaten (V).
Synthese von 4',5'-Dimethoxy-1,2,3,8,6,7,3",4",5",6"-dekahydro-(1",2":2,3;1',2':4,5-dibenzoindolizin). S. Sugasawa und S. Ohki, Proc. Imp. Acad. (Tokyo), 1943, 19, 570; J. Pharm. Soc. Japan, 1944, 64, 190.
- 88 Studies on the Synthesis of Dibenzoindolizine Derivatives (VI).
Synthesis of 4',5':4";5"-Tetramethoxy-3,4-dihydro-(2',1':1,2; 2",1":5,6-dibenzoindolizine). S. Sugasawa and K. Mizukami, Pharm. Bull. (Japan), 1955, 3, 42.
- 89 Studien zur Synthese von Benzochinolizin-Derivaten. S. Sugasawa, J. Pharm. Soc. Japan, 1944, 64B, 14.
- 90 Studien zur Synthese von Benzochinolizin-Derivaten (II).
Synthese von 4',5'-Dimethoxy-1,2,5,6,7,8-hexahydro-(1',2': 3,4-benzochinolizin). S. Sugasawa, N. Sugimoto, und T. Nakata, Proc. Imp. Acad. (Tokyo), 1942, 18, 655; J. Pharm. Soc. Japan, 1943, 63, 125.
- 91 Studien zur Synthese von Benzochinolizin-Derivaten III.
Synthese von Lilolidin und Julolidin. N. Sugimoto, J. Pharm. Soc. Japan, 1944, 64B, 15.
- 92 Studien zur Synthese von Benzochinolizin-Derivaten IV.
Synthese von 4',5'-Dimethoxy-1,2,5,6,7,8-hexahydro-(1',2':2,3-benzochinolizin). N. Sugimoto, J. Pharm. Soc. Japan, 1944, 64B, 108.
- 93 Studies on the Synthesis of Benzoquinolizines V. Synthesis of 1,3,4,6,11,11a-Hexahydro-2H-8,9-dimethoxybenzo[b]quinolizine.

- N. Sugimoto, J. Pharm. Soc. Japan, 1956, 76, 1045.
- 94 Synthetic Studies on Benzoquinolizines (I). Synthesis of 1,2-Polymethylenetetrahydroisoquinolines. S. Sugasawa, K. Sakurai, and N. Sugimoto, J. Pharm. Soc. Japan, 1939, 59, 247; Proc. Imp. Acad. (Tokyo), 1939, 15, 82.
- 95 Studien zur Synthese von Benzochinolizin. Synthese von 4',5'-Dimethoxy-8-methyl-6-carbäthoxy-3,4,5,6,7,8-hexahydro-[1',2':1,2-benzochinolizin]. S. Sugasawa, K. Sakurai, und T. Okayama, Ber., 1941, 74B, 537; S. Sugasawa, K. Sakurai, und T. Okayama, Proc. Imp. Acad. (Tokyo), 1940, 16, 225; S. Sugasawa, K. Sakurai, und T. Okayama, J. Pharm. Soc. Japan, 1942, 62, 77.
- 96 Über die Synthese des rac-C-nor-Emetin (-Pyman). S. Sugasawa, und K. Sakurai, Proc. Imp. Acad. (Tokyo), 1941, 17, 501; J. Pharm. Soc. Japan, 1942, 62, 87.
- 97 Studien zur Synthese von Bis-Benzochinolizin-Derivaten (I). Synthese von Di-isochinolyl-spiro-dipiperidin-Derivaten. S. Sugasawa und S. Tomimatsu, J. Pharm. Soc. Japan, 1944, 64, 23; Proc. Imp. Acad. (Tokyo), 1944, 20, 377.
- 98 Über verbesserte Synthese von rac-C-nor-Emetin-Pyman. S. Sugasawa und H. Shigehara, Proc. Imp. Acad. (Tokyo), 1944, 20, 374; J. Pharm. Soc. Japan, 1945, 65B, 369.
- 99 Synthese von 4',5'-Methylenedioxy-6-[β -(6",7"-methylenedioxy-3"-methyl-Py-tetrahydroisochinolyl-1")-äthyl]-4-methyl-3,4,5,6,7,8-hexahydro-(1',2':1,2-benzochinolizin). S. Sugasawa und T. Kametani, J. Pharm. Soc. Japan, 1945, 65B, 372.
- 100 Synthese von Bis-Benzochinolizin-Derivaten (II). Über die Synthese von 4",5":4"',5'''-Bismethylenedioxy-6,6'-bis-[3,4,5,6,

- 7,8-hexahydro-(2',1':1,2)-benzochinolizin]. S. Sugasawa und T. Saito, J. Pharm. Soc. Japan, 1945, 65, 452.
- 101 Synthetic Study of Emetine and its Allied Compounds VIII. Syntheses of Bisbenzoquinolizine III. Synthesis of 6-Piperidyl-(2')-4',5'-methylenedioxy-3,4,5,6,7,8-hexahydro-(2',1':1,2-benzoquinolizine). S. Sugasawa and T. Saito, J. Pharm. Soc. Japan, 1948, 68, 93.
- 102 Synthetic Study of Emetine and its Allied Compounds IX. Synthesis of 4'',5'':4''',5'''-Bismethylenedioxy-7,7'-bis-(3,4,5,6,7,8-hexahydro-2',1':1,2-benzoquinolizine). S. Sugasawa and T. Saito, J. Pharm. Soc. Japan, 1948, 68, 96.
- 103 Syntheses of Emetine and its Allied Compounds X. Improved Synthetic Method for 4',5'-Dimethoxy-6-carbethoxy-8-methyl-3,4,5,6,7,8-hexahydro-[1',2':1,2-benzoquinolizine]. S. Sugasawa and K. Kobayashi, J. Pharm. Soc. Japan, 1949, 69, 85.
- 104 Syntheses of Emetine and its Allied Compounds (XI). Synthesis of rac-Emetine(-Pyman). S. Sugasawa and K. Kobayashi, Proc. Japan Acad., 1948, 24, 17; S. Sugasawa and K. Kobayashi, J. Pharm. Soc. Japan, 1949, 69, 88.
- 105 Synthesis of rac-Emetamine(-Pyman). S. Sugasawa and K. Kobayashi, Proc. Japan Acad., 1948, 24, 23; K. Kobayashi, J. Pharm. Soc. Japan, 1949, 69, 91.
- 106 Synthesis in the Benzoquinolizine. Group XIII. A Synthesis of 4',5'-Methylenedioxy-7-amino-3,4,5,6,7,8-hexahydro-(1',2':1',2'-benzoquinolizine). S. Sugasawa and Y. Suzuta, J. Pharm. Soc. Japan, 1951, 71, 1159.

- 107 Synthesis of 4',5'-Dimethoxy-3,4,5,6,7,8-hexahydro-(1,2:1',2'-benzoquinolizine). S. Sugasawa, S. Akahoshi, and M. Yamada, J. Pharm. Soc. Japan, 1951, 71, 1341.
- 108 Synthesis in the Benzoquinolizine Group XV. A Synthesis of 4',5'-Methylenedioxy-3,4,5,6,7,8-hexahydro-6-(N-methylpyrrolidyl-2")-(1',2':1,2-benzoquinolizine). S. Sugasawa and T. Tatsuno, J. Pharm. Soc. Japan, 1952, 72, 248.
- 109 Synthesis in the Benzoquinolizine Group XVI. A Synthesis of 4',5'-Methylenedioxy-6-amino-2,3,4,5,7,8-hexahydro-(2',1':1,2-benzoquinolizine). S. Sugasawa and H. Tomisawa, J. Pharm. Soc. Japan, 1952, 72, 304.
- 110 Synthesis in the Benzoquinolizine Group XVII. On the Relative Stability of Benzoquinolizinium Ring System. S. Sugasawa and S. Akahoshi, Proc. Japan Acad., 1952, 28, 296; S. Sugasawa, S. Akahoshi, and M. Suzuki, J. Pharm. Soc. Japan, 1952, 72, 1273.
- 111 Synthesis in the Benzoquinolizine Group XVIII. On the Relative Stability of Dibenzquinolizinium Ring System. S. Akahoshi, J. Pharm. Soc. Japan, 1952, 72, 1277.
- 112 Synthesis in the Benzoquinolizine Group XIX. Synthesis of rac-C-Bis(nor)emetine. Y. Tomimatsu, J. Pharm. Soc. Japan, 1953, 73, 75.
- 113 Synthesis in the Benzoquinolizine Group XX. Synthesis of rac-C-Trisnoremetine. S. Sugasawa and K. Oka, Pharm. Bull. (Japan), 1953, 1, 188, 230.
- 114 Synthesis in the Benzoquinolizine Group XXI. Synthesis of Thiazoyl- and Quinolyl-benzoquinolizine Derivatives.

- S. Sugasawa, T. Tatsuno, and T. Kamiya, Pharm. Bull. (Japan), 1953, 1, 233.
- 115 Synthesis in the Benzoquinolizine Group XXIII. Synthesis of rac-C-Bisnoremetine. S. Sugasawa and K. Oka, Pharm. Bull. (Japan), 1954, 2, 85.
- 116 Synthesis in the Benzoquinolizine Group XXIV. A Synthesis of rac-Dihydroisorotundine. K. Mizukami, Chem. and Pharm. Bull. (Japan), 1958, 6, 312.
- 117 Synthesis of rac-Dihydrorotundine. S. Sugasawa and K. Mizukami, Chem. and Pharm. Bull. (Japan), 1958, 6, 359.
- 118 Studies on the Synthesis of Benzoquinolizine Group XXV. A Synthesis of 3-[2-(6,7-Dimethoxy-1,2,3,4-tetrahydro-1-isoquinoly)ethyl]-9,10-dimethoxy-1,2,3,4,6,7-hexahydro-11bH-benzo[a]quinolizine (rac-C-Noremetine-Pyman). M. Kirisawa, Chem. and Pharm. Bull. (Japan), 1959, 7, 35.
- 119 Studies on the Synthesis of Benzoquinolizine Group XXVI. A Synthesis of 2-(6,7-Dimethoxy-1,2,3,4-tetrahydro-1-isoquinolylmethyl)-9,10-dimethoxy-1,2,3,4,6,7-hexahydro-11bH-benzo[a]quinolizine (rac-C-Bisnoremetine). M. Kirisawa, Chem. and Pharm. Bull. (Japan), 1959, 7, 38.
- 120 Reaction of 1-Phenethyl-2(1H)-pyridones with Phosphoryl Chloride. Formation of 1-Phenethyl-2-chloropyridinium Salts. S. Sugasawa, S. Akaboshi, and Y. Ban, Chem. and Pharm. Bull. (Japan), 1959, 7, 263.
- 121 Synthesis in the Benzoquinolizine Group I. Synthesis of 1,2,3,4,6,7-Hexahydro-11bH-benzo[a]quinolizines. S. Akaboshi, T. Kutsuma, and K. Achiwa, Chem. and Pharm. Bull. (Japan),

- 1960, 8, 14.
- 122 Syntheses of Benzoquinolizine Derivatives I. Syntheses of 3-Dimethylaminoalkyl-9,10-dimethoxy-1,2,3,4,6,7-hexahydro-11bH-benzo[a]quinolizines. Y. Suzuta, J. Pharm. Soc. Japan, 1959, 79, 1314.
- 123 Syntheses of Benzoquinolizine Derivatives II. Synthesis of 2-Dimethylaminoethyl-3-methyl-9,10-dimethoxy-1,2,3,4,6,7-hexahydro-11bH-benzo[a]quinolizine. Y. Suzuta, J. Pharm. Soc. Japan, 1959, 79, 1319.
- 124 Syntheses of 1-Azabicycloammonium Derivatives. S. Sugawara and Y. Suzuta, J. Pharm. Soc. Japan, 1959, 79, 1323.
- 125 Synthesis of 1-Alkyl-1,2,3,4,6,7-hexahydro-11bH-benzo[a]-quinolizine-2-one Derivatives. M. Kawanishi, Chem. and Pharm. Bull. (Japan), 1962, 10, 185.
- 126 Synthesis of the So-called Dehydrorotundinium Salt and its Partial Reduction. M. Kawanishi, Chem. and Pharm. Bull. (Japan), 1962, 10, 191.
- 127 On the Structure of So-called Rotundine. M. Kawanishi and S. Sugawara, Chem. and Pharm. Bull. (Japan), 1965, 13, 522.
- 128 Studies on the Synthesis of Emetine I. A Synthesis of 1-(N-Benzyl-2-oxo-5-ethyl-4-piperidylmethyl)-6,7-dimethoxy-3,4-dihydroisoquinoline. (Preliminary Experiments to the Synthesis of Emetine). S. Sugawara and T. Fujii, Pharm. Bull. (Japan), 1955, 3, 47.
- 129 Studies on the Synthesis of Emetine II. Synthesis of Rubreminium Bromide. Y. Ban, Pharm. Bull. (Japan), 1955, 3, 53, Proc. Japan Acad., 1954, 30, 31.

- 130 Studies on the Synthesis of Emetine. Part II. A Synthesis of dl-Rubremetinium Bromide. T. Fujii, Chem. and Pharm. Bull. (Japan), 1958, 6, 591.
- 131 Debenzylation of N-Benzyl-acylamides. S. Sugasawa and T. Fujii, Chem. and Pharm. Bull. (Japan), 1958, 6, 587.
- 132 Die Oxydation eniger β -Phenäthylpyridinium- und chinolinium-Salze. S. Sugasawa und N. Sugimoto, Ber., 1939, 72B, 977; Proc. Imp. Acad. (Tokyo), 1939, 15, 49.
- 133 Die Oxydation einiger β -Phenyläthylpyridinium-Salze (II). S. Sugasawa und H. Shigehara, Ber., 1941, 74B, 459; Proc. Imp. Acad. (Tokyo), 1940, 16, 187.
- 134 The Oxidation of 1-Methyl-3-ethylpyridinium Salt. S. Sugasawa and Y. Ban, J. Pharm. Soc. Japan, 1952, 72, 1336.
- 135 Oxidation of 1-Methyl-3-ethylpyridinium Salt (A Correction). S. Sugasawa and M. Kirisawa, Pharm. Bull. (Japan), 1956, 4, 139.
- 136 Oxidation of 3-Substituted 1-Alkylpyridinium Salts II. Oxidation of 1-Methyl- and 1-Phenethyl-3-phenylpyridinium Salts. S. Sugasawa and M. Kirisawa, Pharm. Bull. (Japan), 1955, 3, 187.
- 137 Oxidation of 3-Substituted 1-Alkylpyridinium Salts III. Preparation of 1-Methyl-3-ethyl-6-pyridone and -piperidone. S. Sugasawa and M. Kirisawa, Pharm. Bull. (Japan), 1955, 3, 190.
- 138 Oxidation of N-(β -3',4'-Methylenedioxyphenyl)-3-ethylpyridinium Salt and the Constitution of the Resultant Pyridone. S. Sugasawa and T. Tatsuno, Pharm. Bull. (Japan), 1954, 2, 193.

- 139 Oxidation of 4-(1,1-Ethylenedioxyethyl)- and 4-(Ethylenedioxyethyl)-1-methylpyridinium Salts. S. Sugasawa and M. Kirisawa, Chem. and Pharm. Bull. (Japan), 1958, 6, 615.
- 140 Étude sur la détermination de la Constitution des Pyridones. T. Tatsuno, Pharm. Bull. (Japan), 1954, 2, 140.
- 141 Studies on 1-Alkyl-2-pyridone Derivatives I. Sandmeyer Reaction of 1-Phenethyl-4(or 5)-amino-2-pyridone. H. Tomizawa, J. Pharm. Soc. Japan, 1959, 79, 1167.
- 142 Studies on 1-Alkyl-2-pyridone Derivatives II. Dipole Moment of 1-Phenethyl-2-pyridone. H. Tomizawa, J. Pharm. Soc. Japan, 1959, 79, 1170.
- 143 Studies on 1-Alkyl-2-pyridone Derivatives III. Oxidation of 1-Phenethyl-3-phenoxy(3-cyano and 4-bromo)pyridinium Salt. H. Tomizawa, J. Pharm. Soc. Japan, 1959, 79, 1173.
- 144 Synthese von Oktahydrochinolizin. S. Sugasawa und N.-Z. Lee, J. Pharm. Soc. Japan, 1939, 59, 326.
- 145 Application of the Robinson Dehydrogenation Reaction I. A Synthesis of 2,3-Dimethoxy-6H-indolo[2,1-a]isocindole. S. Sugasawa and Y. Kanoka, Pharm. Bull. (Japan), 1955, 3, 266.
- 146 Application of the Robinson Dehydrogenation Reaction II. Oxidative Cyclization of Some Phenethyl- and Phenylpropylamines. Y. Kanaoka, Chem. and Pharm. Bull. (Japan), 1959, 7, 589.
- 147 Application of the Robinson Dehydrogenation Reaction III. Synthesis of 2,3,9,10-Tetramethoxy-5,6,6a,7,12,13-hexahydro-13-methyldibenzo[b,f]quinolizinium Iodide. Y. Kanaoka, Chem. and Pharm. Bull. (Japan), 1959, 7, 595.

- 148 Application of the Robinson Dehydrogenation Reaction IV. Oxidation of Some Tetrahydro- β -carboline Derivatives. Y. Kanaoka, Chem. and Pharm. Bull. (Japan), 1959, 7, 597.
- 149 Application of the Robinson Dehydrogenation Reaction V. (Supplement to Part I). Synthesis of 2,3-Dimethoxy-5-methyl-10b,11-dihydro-6H-indolo[2,1-a]isoindolium Iodide. Y. Kanaoka, Chem. and Pharm. Bull. (Japan), 1959, 7, 647.
- 150 Synthesis of Pyridopyrazolone Derivatives I. Synthesis of Pyrido[3,4-c]pyrazolones. S. Sugawara and N. Yoneda, Pharm. Bull. (Japan), 1956, 4, 360.
- 151 Synthesis in the Azabenzquinolizine. Group I. A Synthesis of 1,2,3,6,7,12b-Hexahydro-4H-1,3-dioxo[j]pyridazo[3,2-a]-isoquinoline. S. Sugawara and K. Kohno, Pharm. Bull. (Japan), 1956, 4, 477.
- 152 Synthesis in the Azabenzquinolizine. Group II. Synthesis of 9,10-Dimethoxy-1,2,3,4,6,7-hexahydro-11bH-pyrazino[2,1-a]-isoquinoline Derivatives. T. Yamazaki, J. Pharm. Soc. Japan, 1959, 79, 1003.
- 153 Synthesis in the Azabenzquinolizine. Group III. Synthesis of 9,10-Dimethoxy-1,2,3,4,6,7-hexahydro-11bH-pyrimido[4,3-a]-isoquinoline Derivatives. T. Yamazaki, J. Pharm. Soc. Japan, 1959, 79, 1008.
- 154 Synthesis in the Azabenzquinolizine. Group IV. Synthesis of 9,10-Dimethoxy-1,2,3,4,6,7-hexahydro-11bH-pyrimido[2,1-a]-isoquinoline. T. Yamazaki, J. Pharm. Soc. Japan, 1959, 79, 1014.

- 155 Synthesis of Pyrazolone Derivatives I. Synthesis of 4-Formylantipyrine and Some of Its Reactions. I. Ito, J. Pharm. Soc. Japan, 1956, 76, 167.
- 156 Synthesis of Pyrazolone Derivatives II. Synthesis of 3-Amino-1-phenyl-2-methyl-5-pyrazolone and Related Compounds. I. Ito, J. Pharm. Soc. Japan, 1956, 76, 820.
- 157 Synthesis of Pyrazolone Derivatives III. Synthesis of 3-Formyl- and 3,4-Diformyl-2-methyl-5-pyrazolone. I. Ito, J. Pharm. Soc. Japan, 1956, 76, 822.
- 158 Synthesis of Pyrazolone Derivatives IV. Synthesis of 1-Methyl-2-phenyl-5-R-1,4,5,6-tetrahydropyrrolo[3,4-c]pyrazol-3(2H)-one and Related Compounds. I. Ito, J. Pharm. Soc. Japan, 1957, 77, 707.
- 159 Synthesis of Pyrazolone Derivatives V. An Improved Synthesis of 1-Phenyl-2-methyl-3-(2-aminoethyl)-5-pyrazolone. I. Ito, J. Pharm. Soc. Japan, 1959, 79, 709.
- 160 Synthesis of Pyrazolone Derivatives VI. Synthesis of 1,1-Bis[(1-phenyl-2-methyl-5-oxo-3-pyrazolin-3-yl)methyl]methylamine. I. Ito, J. Pharm. Soc. Japan, 1961, 81, 1727.
- 161 Synthesis of Pyrazolone Derivatives VII. Synthesis of Pyrazolo[4,3-c]pyridine Derivatives. I. Ito, J. Pharm. Soc. Japan, 1961, 81, 1730.
- 162 Synthesis of Pyrazolone Derivatives VIII. Synthesis of 4,5,6,7-Tetrahydro-3H-pyrazolo[4,3-c]pyridine and 3H-pyrazolo[3,4-c]pyridine Derivatives. I. Ito, J. Pharm. Soc. Japan, 1961, 81, 1735.

- 163 Synthesis of Pyrazolone Derivatives IX. Synthesis of 3H-Pyrazolo[3,4-b]pyridine and 3H-pyrazolo[4,3-b]pyridine Derivatives. I. Ito, J. Pharm. Soc. Japan, 1961, 81, 1738.
- 164 A Synthesis of β -Carboline Derivatives. S. Sugasawa, M. Terashima, and Y. Kanaoka, Pharm. Bull. (Japan), 1956, 4, 16.
- 165 2-(2-Pyridyl)indole Methiodide. S. Sugasawa and S. Takano, Chem. and Pharm. Bull. (Japan), 1958, 6, 111.
- 166 Syntheses of β -Carboline Derivatives II. Pentacyclic β -Carboline Analogs of Alstoniline and Tetrahydrobenzindoloquinolizines. S. Sugasawa and S. Takano, Chem. and Pharm. Bull. (Japan), 1959, 7, 417.
- 167 Synthesis of β -Carboline Derivatives III. A Synthesis of Dimethoxybenzindoloquinolizine. S. Sugasawa and Y. Deguchi, Chem. and Pharm. Bull. (Japan), 1960, 8, 879.
- 168 Synthesis of 1-Methyl-1,2,3,4,6,7,12,12b-octahydro-2,6-methanoindolo[2,3-a]quinolizine. N. Yoneda, Chem. and Pharm. Bull. (Japan), 1965, 13, 1231.
- 169 Synthese partiell hydrierter Phenanthridin-Derivate (I). S. Sugasawa und K. Kodama, Ber., 1939, 72B, 675.
- 170 Synthese partielle hydrierter Phenanthridin-Derivate. II. S. Sugasawa K. Kodama, and S. Hara, J. Pharm. Soc. Japan, 1940, 60, 356.
- 171 Reduction of Nitriles by U-Co-B-Catalyst. S. Saito, J. Pharm. Soc. Japan, 1956, 76, 351.
- 172 Synthesis in the Morphinan Group I. Synthesis of C"-Nor and -Homo Derivatives of 3-Hydroxy-N-methylmorphinan. S. Sugasawa and S. Saito, Pharm. Bull. (Japan), 1956, 4, 237.

- 173 Synthesis in the Morphinan Group II. The Structure of 3-Hydroxy-N-methyl-C-normorphinan. S. Saito, Pharm. Bull. (Japan), 1956, 4, 438.
- 174 Synthesis in the Morphinan Group III. A Synthesis of 2,3- and 3,4-Ethylenedioxy-N-methylmorphinan and their Optical Resolution. M. Sasamoto, Chem. and Pharm. Bull. (Japan), 1960, 8, 324.
- 175 Synthesis in the Morphinan Group IV. Structural Proof of 2,3- and 3,4-Ethylenedioxy-N-methylmorphinan. M. Sasamoto, Chem. and Pharm. Bull. (Japan), 1960, 8, 329.
- 176 Synthesis in the Morphinan Group V. Grewe Cyclization of d- and l-1-(3,4-Ethylenedioxybenzyl)-2-methyl-1,2,3,4,5,6,7,8-ocatahydroisoquinoline. M. Sasamoto, Chem. and Pharm. Bull. (Japan), 1960, 8, 980.

Extension of Bischler-Napieralski Reaction (I: 177 - 180)

- 177 Bischler-Napieralski Reaction in Phosphorous Pentoxide-Pyridine, A New Combination for Bischler-Napieralski Reaction. N. Itoh and S. Sugasawa, Tetrahedron, 1957, 1, 45.
- 178 Synthesis of Some Ketonic Isoquinolines. N. Itoh and S. Sugasawa, Tetrahedron, 1959, 6, 16.
- 179 Synthesis of 2-Oxo-3-ethyl-1,10-dimethoxy-1,2,3,4,6,7-hexahydro-11bH-benzo[a]quinolizine. N. Itoh and S. Sugasawa, J. Org. Chem., 1959, 24, 2042.
- 180 Synthesis of 1-Acetylisoquinoline Derivatives. N. Itoh, Chem. and Pharm. Bull. (Japan), 1960, 8, 441.

Extension of Bischler-Napieralski Reaction (II: 181 - 184)

- 181 Synthesis of Isoquinoline Derivatives: A Synthesis of rac-Apomorphine Dimethyl Ether. S. Sugasawa and R. Tachikawa, Tetrahedron, 1958, 5, 48.
- 182 Synthesis of Pyrroline Derivatives. S. Sugasawa and S. Ushioda, Tetrahedron, 1959, 5, 48.
- 183 Synthesis of Some Isoquinoline Derivatives. S. Tachikawa, Tetrahedron, 1959, 7, 118.
- 184 Synthesis of Some Pyridine Derivatives. T. Fujisawa and S. Sugasawa, Tetrahedron, 1959, 7, 185.
- 185 A New Synthesis of rac-Nicotine. T. Mizoguchi, Chem. and Pharm. Bull. (Japan), 1961, 9, 818.
- 186 Synthesis of 1-Azabicyclo[x,y,o]alkanediones. T. Mizoguchi, Chem. and Pharm. Bull. (Japan), 1962, 10, 366.
- 187 Synthesis of Quinoline Derivatives. S. Ushioda, M. Fujihara, and S. Sugasawa, J. Pharm. Soc. Japan, 1965, 85, 231.
- 188 Studien zur Synthese von Sulfon (I). Synthese von Bis-(4-Bz-tetrahydrochinazolyl(2)-phenyl)-sulfon und Bis-(4-Bz-tetrahydrochinazolyl-(2)-aminophenyl)-sulfon. S. Sugasawa und J. Iwao, J. Pharm. Soc. Japan, 1945, 65B, 449.
- 189 Synthetic Studies on C-Methyl Derivatives of Several Medicines. I and II. S. Sugasawa und N. Sugimoto, J. Pharm. Soc. Japan, 1941, 61, 62 and 66.

- 190 Synthesis of p-Aminobenzenesulfonamidomethylpyrimidine I. Reaction between Sulfaguanidine and 1,3-Ketoaldehydes. S. Sugasawa, Y. Ban, and R. Mochizuki, J. Pharm. Soc. Japan, 1949, 69, 82.
- 191 Synthesis of 2-(p-Aminobenzenesulfonamido)-4,5-dimethylpyrimidine. S. Sugasawa, S. Yamada, and M. Narahashi, J. Pharm. Soc. Japan, 1951, 71, 1345.
- 192 A Synthesis of rac-4-(N-Methylpyrrolid-2'-yl)-pyridine. S. Sugasawa, T. Tatsuno, and T. Kamiya, Pharm. Bull. (Japan), 1954, 2, 37.
- 193 A New Synthesis of rac-Nicotine. S. Sugasawa, T. Tatsuno, and T. Kamiya, Pharm. Bull. (Japan), 1954, 2, 39.
- 194 Synthesis of Quinolizine Derivatives VI. Synthesis of 3-Aminoquinolizines (1). Synthesis of dl-3-Amino-, dl-3-epi-Amino-, and dl-3-epi-Dimethylaminoquinolizines. Y. Noike, J. Pharm. Soc. Japan, 1959, 79, 1514.
- 195 Synthesis of Quinolizine Derivatives VII. Synthesis of 3-Aminoquinolizines (2). Synthesis of dl-3-Amino-, dl-3-epi-Amino-, dl-3-Dimethylamino-, and dl-3-epi-Dimethylamino-9,10-methylenedioxy-1,2,3,4,6,7-hexahydro-11bH-benzo[a]quinolizines. Y. Noike, J. Pharm. Soc. Japan, 1959, 79, 1519.
- 196 Synthesis in the Erythrinane Group of Compounds I. A Synthesis of dl-15,16-Dimethoxyerythrinane. S. Sugasawa and H. Yoshikawa, Chem. and Pharm. Bull. (Japan), 1960, 8, 290.
- 197 Synthesis of 1-Substituted 4-Phenyl-5-piperidinol Derivatives as Possible Analgesic. N. Itoh, Chem. and Pharm. Bull. (Japan), 1962, 10, 55.

Studies on the Utilization of Safrole as Medicinal Raw Material

- 198 Syntheses of 2-(ω -Dialkylaminoalkyl)-5,6-methylenedioxyisoindoline Derivatives. T. Fujisawa and K. Okada, J. Pharm. Soc. Japan, 1959, 79, 772.
- 199 Syntheses of 4-Benzylisoquinoline Derivatives. T. Fujisawa, J. Pharm. Soc. Japan, 1959, 79, 775.
- 200 Syntheses of Indole Derivatives. T. Fujisawa, J. Pharm. Soc. Japan, 1959, 79, 778.
- 201 Syntheses of Piperidine and Quinoline Derivatives. T. Fujisawa, J. Pharm. Soc. Japan, 1959, 79, 848.
- 202 Syntheses of Phenanthridine Derivatives. T. Fujisawa, J. Pharm. Soc. Japan, 1959, 79, 783.
- 203 A Synthesis of 3-Methyl-8,9-methylenedioxy-1H,6H-5,10b-propano-2,3,4,4a-tetrahydrophenanthridine. K. Okada, Chem. and Pharm. Bull. (Japan), 1962, 10, 398.
- 204 A Synthesis of 3-Methyl-8,9-methylenedioxy-1H,6H-6,1-b-ethano-2,3,4,4a-tetrahydrophenanthridine. K. Okada, Chem. and Pharm. Bull. (Japan), 1962, 10, 401.
- 205 Synthesis of 3-Methyl-9,10-methylenedioxy-1,2,3,3a,4,5,11b,11c-octahydro-7H-pyrrolo[3,2,1-de]phenanthridine. K. Okada, Chem. and Pharm. Bull. (Japan), 1962, 10, 852.

III MISCELLANEOUS

- 206 Synthetic Studies on Antimalarial Agents. Synthesis of Nitrogen-containing Heterocyclic Compounds possessing *p*-Aminobenzenesulfonamidoalkylamino Side Chain. S. Sugasawa, J. Pharm. Soc. Japan, 1942, 62, 293.
- 207 Synthetic Studies on Antimalarial Agents (I). Synthesis of 8-[β -*p*-Aminobenzenesulfonamido)ethylamino]-6-methoxyquinoline. S. Sugasawa and N. Sugimoto, J. Pharm. Soc. Japan, 1942, 62, 293.
- 208 Synthetic Studies on Antimalarial Agents (II). Synthesis of 6-Methoxy-4-[β -(*p*-aminobenzenesulfomethylamido)propylamino]-quinaldine. S. Sugasawa and K. Kobayashi, J. Pharm. Soc. Japan, 1942, 62, 294.
- 209 Synthetic Studies on Antimalarial Agents (III). Synthesis of 9-[β -(*p*-Aminobenzenesulfomethylamido)ethylamino]-2-methoxy-6-chloroacridine. S. Sugasawa and N. Sugimoto, J. Pharm. Soc. Japan, 1942, 62, 296.
- 210 Synthetic Studies on Antimalarial Agents (IV). T. Kimura, J. Pharm. Soc. Japan, 1943, 63, 325.
- 211 Reaction of Formamide (I). On a Formylation of Amines by Formamide. S. Sugasawa and H. Shigehara, J. Pharm. Soc. Japan, 1942, 62, 531.
- 212 Reaction of Formamide (II). On an Amidation of Carboxylic Acids by Formamide. S. Sugasawa and H. Shigehara, J. Pharm.

- Soc. Japan, 1942, 62, 532.
- 213 Reaction of Formamide (III). Reaction of Formamide with Di-
ketones. N. Sugimoto, J. Pharm. Soc. Japan, 1944, 64, 192.
- 214 Reaction of Formamide (IV). Reaction of Formamide with Keto
Carboxylic Acids and Keto Esters. N. Sugimoto, J. Pharm. Soc.
Japan, 1944, 64, 199.
- 215 Modified Curtius Degradation (I). On Curtius Degradation.
S. Sugawara and T. Saito, Proc. Imp. Acad. (Tokyo), 1944, 20,
137; J. Pharm. Soc. Japan, 1944, 64B, 20.
- 216 Modified Curtius Degradation (II). Curtius Degradation. T.
Saito, J. Pharm. Soc. Japan, 1948, 68, 65.
- 217 Modified Curtius Degradation(III). Application of the Modi-
fied Method to the Some Acids Containing Nitrogen. S. Suga-
sawa, S. Akaboshi, S. Toda, and H. Tomisawa, J. Pharm. Soc.
Japan, 1952, 72, 192.
- 218 Synthesis of Antihistaminic Agents I. Syntheses of Ethyle-
nediamine-Type Bases. S. Ohki, J. Pharm. Soc. Japan, 1950,
70, 44.
- 219 Synthesis of Antihistaminic Agents II. A New Synthesis of
 β -Dimethylaminoethyl-benzhydryl Ether. S. Sugawara and K.
Fujiwara, J. Pharm. Soc. Japan, 1951, 71, 365.
- 220 Synthesis of Antihistaminic Agents III. Synthesis of Some
Basic Benzhydryl Alkyl Ethers. K. Fujiwara, M Ohtsuka, and
H. Fukuda, J. Pharm. Soc. Japan, 1951, 71, 367.
- 221 Pharmacological and Chemical Studies on Rutin-like Compounds
I. Relation between Chemical Structure of Flavonols and their
Effects on Capillary Fragility. H. Ozawa, T. Okuda, and

- S. Matsumoto, J. Pharm. Soc. Japan, 1951, 71, 1173.
- 222 Pharmacological and Chemical Studies on Rutin-like Compounds II. Synthesis of 3',4'-Dihydroxyflavonol and Related Compounds. H. Ozawa, T. Okuda, M. Kawanishi, and K. Fujii, J. Pharm. Soc. Japan, 1951, 71, 1178.
- 223 Pharmacological and Chemical Studies on Rutin-like Compounds III. Cleavage of Methylenedioxy Radical in 3',4'-Methylenedioxyflavonol and Related Compounds. H. Ozawa, M. Kawanishi, and K. Fujii, J. Pharm. Soc. Japan, 1951, 71, 1183.
- 224 Pharmacological and Chemical Studies on Rutin-like Compounds IV. Oxidation of Arylidenechloroacetophenone with Alkaline Hydrogen Peroxide. H. Ozawa and M. Kawanishi, J. Pharm. Soc. Japan, 1951, 71, 1186.
- 225 Synthesis of N'-(2-Diethylaminoethyl)-p-aminobenzamide (Procainamide). M. Yamazaki, Y. Kitagawa, S. Hiraki, and Y. Tsukamoto, J. Pharm. Soc. Japan, 1953, 73, 294.
- 226 Reduction of Aliphatic Unsaturated Nitriles with Raney Cobalt Catalyst. T. Mizoguchi, J. Pharm. Soc. Japan, 1961, 81, 1563.
- 227 The Synthesis and Evaluation of the Local Anesthetic Activity of a Series of Aliphatic Amino Acid Anilides. M. Fujihara, M. Hirakura, T. Mizoguchi, M. Kawanishi, Y. Sugihara, and S. Ohshiro, J. Pharm. Soc. Japan, 1969, 89, 88.
- 228 Synthesis of 6-Formylsafrole and Some of Its Reactions I. S. Sugawara and N. Yoshida, Pharm. Bull. (Japan), 1953, 1, 281.
- 229 Reactions of 6-Formylsafrole II. S. Sugawara, N. Yoshida, and M. Terashima, Pharm. Bull. (Japan), 1954, 2, 149.

- 230 Application of the Ball Reaction on Aromatic Alcohols I.
S. Sugasawa and K. Mizukami, Pharm. Bull. (Japan), 1954, 2,
341.
- 231 Application of the Ball Reaction to Aromatic Alcohols II.
S. Sugasawa and K. Mizukami, Pharm. Bull. (Japan), 1955, 3,
393.
- 232 Friedel-Crafts Reaction using Sulfur Containing Halides.
Synthesis of 4,4'-Diacetaminodiphenyl Sulfone. S. Sugasawa
and K. Sakurai, J. Pharm. Soc. Japan, 1940, 60, 22 and 388.
- 233 Synthesis of 2-Phenyl-5-dimethyl-(5,4)-dihydro-oxazole-4-
carboxylic Acid. S. Akaboshi and K. Yahagi, J. Pharm. Soc.
Japan, 1949, 69, 569.
- 234 Exhaustive Methylation of Some Ethylenediamine-Type Bases.
S. Ohki, J. Pharm. Soc. Japan, 1950, 70, 101.
- 235 Syntheses of p-Nitrophenyl-ketones I. Synthesis of p-Nitro-
acetophenone. S. Sugasawa, N. Sugimoto, J. Iwao, and Y.
Nakamura, J. Pharm. Soc. Japan, 1951, 71, 225.
- 236 Synthesis of rac-N-Methylephedrine. S. Sugasawa, T. Yamazaki,
M. Kawanishi, and J. Iwao, J. Pharm. Soc. Japan, 1951, 71, 530.
- 237 A New Method for the Preparation of Secondary Amines I.
Synthesis of Aliphatic Secondary Amines. S. Sugasawa and
K. Abe, J. Pharm. Soc. Japan, 1952, 72, 270.
- 238 Synthesis of Several N-Substituted Acid Amides. S. Sugasawa
and M. Ohara, J. Pharm. Soc. Japan, 1952, 72, 1036.
- 239 Fries Transposition of Chloroacetoguaiacol. S. Sugasawa and
M. Kawazu, J. Pharm. Soc. Japan, 1953, 73, 1102.

- 240 Preparation of β -(3,4-dimethoxyphenyl)ethylamine. Y. Ban, J. Pharm. Soc. Japan, 1954, 74, 212.
- 241 Acid Azide as an Acylating Agent. S. Sugawara and H. Tomizawa, Pharm. Bull. (Japan), 1955, 3, 32.
- 242 Synthesis of Piperidine Derivatives. S. Sugawara and Y. Deguchi, J. Pharm. Soc. Japan, 1956, 76, 968.
- 243 A Synthesis of 6-Formylbenzodioxane. S. Sugawara and Y. Arata, Pharm. Bull. (Japan), 1956, 4, 406.
- 244 Partial Hydrolysis of Diethyl γ,γ -Diethoxycarbonylpimelate: A Method of Preparing γ,γ -Diethoxycarbonylpimelic Acid. S. Sugawara and T. Kutsuma, Tetrahedron, 1958, 3, 175.
- 245 A Modified Emde Degradation Reaction (Reductive Cleavage of Quaternary Ammonium Salts by Raney Nickel). S. Sugawara and H. Matsuo, Chem. and Pharm. Bull. (Japan), 1956, 4, 142; 1958, 6, 601.
- 246 Synthesis of α,β -Unsaturated Esters by Application of Wittig Reaction. S. Sugawara and H. Matsuo, Chem. and Pharm. Bull. (Japan), 1960, 8, 819.
- 247 A new Cyclization Reaction of Cyclic Ketoximes. Y. Arata and S. Sugawara, Chem. and Pharm. Bull. (Japan), 1961, 9, 104.
- 248 Preparation of Nitrile From Primary Amide (I). E. Yamato and S. Sugawara, Tetrahedron Letters, 1970, 4383.