

SELECTED PAPERS OF DR. H. UMEZAWA

Kanamycin, Mechanism of Resistance to Aminoglycosides and Development of Derivatives

Active Against Resistant Strains:

- 1) Umezawa, H.; M. Ueda, K. Maeda, K. Yagishita, Y. Okami, R. Utahara, Y. Osato, K. Nitta and T. Takeuchi: Production and isolation of a new antibiotic, kanamycin. *J. Antibiotics*, 10, 181-188 (1957).
- 2) Umezawa, H.: Kanamycin: Its discovery. *Ann. N.Y. Acad. Sci.*, 76, 20-26 (1958).
- 3) Umezawa, H.; M. Okanishi, S. Kondo, K. Hamana, R. Utahara, K. Maeda and S. Mitsunashi: Phosphorylative inactivation of aminoglycosidic antibiotics by E. coli carrying R factor. *Science*, 157, 1559-1561 (1967).
- 4) Umezawa, H.; S. Takasawa, M. Okanishi and R. Utahara: Adenylylstreptomycin, a product of streptomycin inactivated by E. coli carrying R factor. *J. Antibiotics*, 21, 81-82 (1968).
- 5) Umezawa, H.: Mechanisms of inactivation of aminoglycosidic antibiotics by enzymes of resistant organisms of clinical origin. 'Progress in Antimicrobial and Anticancer Chemotherapy', Vol. II, University of Tokyo Press, pp. 561-571 (1970).
- 6) Umezawa, S.; T. Tsuchiya, R. Muto, Y. Nishimura and H. Umezawa: Synthesis of 3'-deoxykanamycin effective against kanamycin-resistant E. coli and Pseudomonas aeruginosa. *J. Antibiotics*, 24, 274-275 (1971).
- 7) Umezawa, H.; S. Umezawa, T. Tsuchiya and Y. Okazaki: 3',4'-Dideoxy-kanamycin B active against kanamycin-resistant E. coli and Ps. aeruginosa. *J. Antibiotics*, 24, 485-487 (1971).
- 8) Umezawa, H.: Biochemical mechanism of resistance to aminoglycosidic antibiotics. 'Advances in Carbohydrate Chemistry and Biochemistry', Vol. 30, Eds. by R. S. Tipson and D. Horton, Academic Press, New York, pp. 183-225 (1974).
- 9) Umezawa, H.; Y. Matsunashi, M. Yagisawa, H. Yamamoto, S. Kondo and T. Takeuchi: Immobilization of phosphotransferases obtained from resistant bacteria. *J. Antibiotics*, 27, 358-360 (1974).
- 10) Sano, H.; T. Tsuchiya, S. Kobayashi, M. Hamada, S. Umezawa and H. Umezawa: Synthesis of 3"-deoxydihydrostreptomycin active against resistant bacteria. *J. Antibiotics*, 29, 978-980 (1976).
- 11) Yamamoto, H.; Y. Okami, H. Naganawa and H. Umezawa: Inactivation of dihydrostreptomycin by streptomycin 6-phosphotransferase in a strain of Ps. aeruginosa resistant to 3"-deoxydihydrostreptomycin. *J. Antibiotics* (1979) in preparation.

Inhibition of the Screening of Antitumor Antibiotics; Discovery, Structure Determination, Action Mechanisms, Development of Active Derivatives of Bleomycin:

- 12) Umezawa, H.; T. Takeuchi, K. Nitta, K. Maeda, T. Yamamoto and S. Yamaoka: Studies on an antitumor substance produced by microorganisms. I. On the antitumor substance No. 289. *J. Antibiotics*, 6, 45-51 (1953).
- 13) Umezawa, H.; T. Takeuchi, K. Nitta, T. Yamamoto and S. Yamaoka: Sarkomycin, an antitumor substance produced by streptomycetes. *J. Antibiotics*, 6, 101 (1953).
- 14) Umezawa, H.; K. Maeda, T. Takeuchi and Y. Okami: New antibiotics, bleomycin A and B. *J.*

Antibiotics, 19A, 200-209 (1966).

- 15) Umezawa, H.; Y. Suhara, T. Takita and K. Maeda: Purification of bleomycins. *J. Antibiotics*, 19A, 210-215 (1966).
- 16) Ishizuka, M.; H. Takayama, T. Takeuchi and H. Umezawa: Activity and toxicity of bleomycin. *J. Antibiotics*, 20A, 15-24 (1967).
- 17) Nagai, K.; H. Suzuki, N. Tanaka and H. Umezawa: Decrease of melting temperature and single strand scission of DNA by bleomycin in the presence of 2-mercaptoethanol. *J. Antibiotics*, 22, 569-573 (1969).
- 18) Umezawa, H.: Natural and artificial bleomycins: Chemistry and antitumor activity. *Pure Appl. Chem.*, 28, 665-680 (1971).
- 19) Umezawa, H.; T. Takeuchi, S. Hori, T. Sawa, M. Ishizuka, T. Ichikawa and T. Komai: Studies on the mechanism of antitumor effect of bleomycin on squamous cell carcinoma. *J. Antibiotics*, 25, 409-420 (1972).
- 20) Umezawa, H.; S. Hori, T. Sawa, T. Yoshioka and T. Takeuchi: A bleomycin-inactivating enzyme in mouse liver. *J. Antibiotics*, 27, 419-424 (1974).
- 21) Umezawa, H.: Bleomycin: Discovery, chemistry and action. 'Gann Monograph on Cancer Research', No. 19, Eds. by S. K. Carter, T. Ichikawa, G. Mathé and H. Umezawa, University of Tokyo Press, pp. 3-36 (1976).
- 22) Asakura, H.; H. Umezawa and M. Hori: DNA structures required for bleomycin binding. *J. Antibiotics*, 31, 156-158 (1978).
- 23) Takita, T.; Y. Muraoka, T. Nakatani, A. Fujii, Y. Umezawa, H. Naganawa and H. Umezawa: Chemistry of bleomycin. XIX. Revised structures of bleomycin and phleomycin. *J. Antibiotics*, 31, 801-814 (1978).
- 24) Y. Iitaka, H. Nakamura, T. Nakatani, Y. Muraoka, A. Fujii, T. Takita and H. Umezawa: Chemistry of bleomycin. XX. The X-ray structure determination of P-3A Cu(II)-complex. A biosynthetic intermediate of bleomycin. *J. Antibiotics*, 31, 1070-1072 (1978).
- 25) Takita, T.; Y. Muraoka, T. Nakatani, A. Fujii, Y. Iitaka and H. Umezawa: Chemistry of bleomycin. XXI. Metal-complex of bleomycin and its implication for the mechanism of bleomycin action. *J. Antibiotics*, 31, 1073-1077 (1978).

Small Molecular Enzyme Inhibitors:

- 26) Aoyagi, T.; T. Takeuchi, A. Matsuzaki, K. Kawamura, S. Kondo, M. Hamada, K. Maeda and H. Umezawa: Leupeptin, new protease inhibitors from actinomycetes. *J. Antibiotics*, 22, 283-286 (1969).
- 27) Umezawa, H.; T. Aoyagi, H. Morishima, M. Matsuzaki, M. Hamada and T. Takeuchi: Pepstatin, a new pepsin inhibitor produced by actinomycetes. *J. Antibiotics*, 23, 259-262 (1970).
- 28) Umezawa, H.: 'Enzyme Inhibitors of Microbial Origin', University of Tokyo Press, (1973); Umezawa, H.: Chemistry of enzyme inhibitors of microbial origin. *Pure Appl. Chem.*, 33, 129-144 (1973).
- 29) Umezawa, H.: Structures and activities of protease inhibitors of microbial origin. 'Methods in Enzymology', Vol. 45, Ed. by L. Lorand, Academic Press, New York, pp. 678-695 (1976).
- 30) Umezawa, H.: Recent advances in bioactive microbial secondary metabolites. *Jap. J. Antibiotics (Suppl.)*, 30, S138-S163 (1977).

Small Molecular Immunomodulators Found in Microbial Culture Filtrates:

- 31) Ishizuka, M.; H. Iinuma, T. Takeuchi and H. Umezawa: Effect of diketocoriolin B on antibody formation. *J. Antibiotics*, 25, 320-321 (1972).

- 32) Umezawa, H.; T. Aoyagi, H. Suda, M. Hamada and T. Takeuchi: Bestatin, an inhibitor of aminopeptidase B produced by actinomycetes. *J. Antibiotics*, 29, 97-99 (1976).
- 33) Umezawa, H.; M. Ishizuka, T. Aoyagi and T. Takeuchi: Enhancement of delayed-type hypersensitivity by bestatin, an inhibitor of aminopeptidase B and leucine aminopeptidase. *J. Antibiotics*, 29, 857-859 (1976); Umezawa, H.: Recent advances in bioactive microbial secondary metabolites. *Jap. J. Antibiotics (Suppl.)*, 30, S138-S163 (1977) already shown as 30).
- 34) Aoyagi, T.; T. Yamamoto, K. Kojiri, F. Kojima, M. Hamada, T. Takeuchi and H. Umezawa: Forphenicine, an inhibitor of alkaline phosphatase produced by actinomycetes. *J. Antibiotics*, 31, 244-246 (1978).
- 35) Aoyagi, T.; H. Tobe, F. Kojima, M. Hamada, T. Takeuchi and H. Umezawa: Amastatin, an inhibitor of aminopeptidase A, produced by actinomycetes. *J. Antibiotics*, 31, 636-638 (1978).
- 36) Umezawa, H.; T. Aoyagi, T. Hazato, K. Uotani, F. Kojima, M. Hamada and T. Takeuchi: Esterastin, an inhibitor of esterase, produced by actinomycetes. *J. Antibiotics*, 31, 639-641 (1978).

Genetics of Microbial Secondary Metabolites:

- Umezawa, H.: Recent advances in bioactive microbial secondary metabolites. *Jap. J. Antibiotics (Suppl.)*, 30, S138-S163 (1977) already shown above as 30).
- 37) Okanishi, M.; T. Ohta and H. Umezawa: Possible control of formation of aerial mycelium and antibiotic production in streptomycetes by epizomic factors. *J. Antibiotics*, 23, 45-47 (1970).
 - 38) Hotta, K.; Y. Okami and H. Umezawa: Elimination of the ability of a kanamycin-producing strain to biosynthesize deoxystreptamine moiety by acriflavine. *J. Antibiotics*, 30, 1146-1149 (1977).
 - 39) Umezawa, H.; Y. Okami and K. Hotta: Transfer of the leupeptin-producing ability of the strain, *Streptomyces roseus* MA839-A1, by conjugation. *J. Antibiotics*, 31, 99-102 (1978).
 - 40) Hori, M.; H. Hemmi, K. Suzukake, H. Hayashi, Y. Uehara, T. Takeuchi and H. Umezawa: Biosynthesis of leupeptin. *J. Antibiotics*, 31, 95-98 (1978).
 - 41) Suzukake, K.; T. Fujiyama, H. Hayashi, M. Hori and H. Umezawa: Biosynthesis of leupeptin. II. Purification and properties of leupeptin acid synthetase. *J. Antibiotics*, 32, 523-530 (1979).