

LIST OF PUBLICATION (ISAO KUWAJIMA)

- 1) T. Mukaiyama, H. Nambu, and I. Kuwajima, "Reactions of Mercuric Carboxylates with Trivalent Phosphorus Compounds", *J. Org. Chem.*, **28**, 917-920 (1963).
- 2) T. Mukaiyama, I. Kuwajima, and Z. Suzuki, "Novel Method for the Preparation of Acid Anhydrides by Means of Diphenylmercury and Tertiary Phosphines", *J. Org. Chem.*, **28**, 2024-2027 (1963).
- 3) I. Kuwajima and T. Mukaiyama, "A Novel Method for the Preparation of Acid Anhydrides by Means of *trans*-Dibenzoyl ethylene and Tertiary Phosphines", *J. Org. Chem.*, **29**, 1385-1388 (1964).
- 4) T. Mukaiyama, I. Kuwajima, and K. Ohno, "The Reactions of Benzoyl Cyanide with Trivalent Phosphorus Compounds", *Bull. Chem. Soc. Jpn.*, **38**, 1954-1957 (1965).
- 5) T. Mukaiyama, I. Kuwajima, and K. Mizui, "1,4-Addition Type Ring opening Polymerization of 1,3-Oxazolidine-2-thione", *J. Org. Chem.*, **31**, 32-34 (1966).
- 6) T. Mukaiyama, R. Yoda, and I. Kuwajima, "Reactions of Phenylisocyanate with Vinyl Ethers", *Tetrahedron Lett.*, 6247-6249 (1966).
- 7) I. Kuwajima, K. Narasaka, and T. Mukaiyama, "The Reaction of Allylmercuric Iodide with Acyl Halides", *Tetrahedron Lett.*, 4281-4284 (1967).
- 8) T. Mukaiyama, K. Takahashi, and I. Kuwajima, "Oxidation of Halomagnesium *sec*-Alkoxides to Ketones", *Bull. Chem. Soc. Jpn.*, **41**, 1491 (1968).
- 9) T. Mukaiyama, R. Yoda, and I. Kuwajima, "Reactions of (α,α -Disubstituted Phenacyl) and (Carbethoxy Disubstituted Methyl)triphenylphosphonium Halides with Grignard Reagents", *Tetrahedron Lett.*, 23-24 (1969).
- 10) E. J. Corey and I. Kuwajima, "Reactions of δ - and ϵ -Halo Ketones with Certain Anionic Transition Metal Complexes. A Useful Cyclization Method", *J. Am. Chem. Soc.*, **92**, 395-396 (1970).
- 11) E. J. Corey and I. Kuwajima, "One-Step Synthesis of γ,δ -Unsaturated Nitriles from Allylic Halides Using Cyanomethylcopper", *Tetrahedron Lett.*, 487-489 (1972).
- 12) I. Kuwajima and M. Uchida, "A New Method for the Synthesis of Olefins via β -Hydroxy Sulfoxides", *Tetrahedron Lett.*, 649-652 (1972).
- 13) I. Kuwajima and Y. Kurata, "A Novel Method for the Preparation of Phenylthiomethyl Ketones", *Chem. Lett.*, 291-292 (1972).
- 14) I. Kuwajima, S. Sato, and Y. Kurata, "A New Method for the Synthesis of Olefins via β -Hydroxyalkyl Phenyl Sulfides", *Tetrahedron Lett.*, 737-739 (1972).
- 15) I. Kuwajima and Y. Doi, "A Convenient Preparative Method of γ,δ -Unsaturated Esters", *Tetrahedron Lett.*, 1163-1166 (1972).
- 16) I. Kuwajima and Y. Fukuda, "A New Rearrangement Reaction of 1-Chloro-2-hydroxyalkyl Phenyl Sulfoxides", *Tetrahedron Lett.*, 327-330 (1973).
- 17) I. Kuwajima, H. Shinozaki, and S. Hayakawa, "A Convenient Preparative Method of α -Chloro

- Ketones", *Chem. Lett.*, 197-200 (1973).
- 18) I. Kuwajima and H. Iwasawa, "Generation of the Dianion of Phenylsulfinyl Acetone and its Reactions", *Tetrahedron Lett.*, 107-110 (1974).
 - 19) I. Kuwajima, K. Sugimoto, and T. Murofushi, "A Convenient Method for the Preparation of 1-Phenylthio-1,3-butadiene Derivatives", *Chem. Lett.*, 625-626 (1974).
 - 20) I. Kuwajima and E. Nakamura, "Quaternary Ammonium Enolates as Synthetic Intermediates. Regiospecific Monoalkylation of Ketones", *J. Am. Chem. Soc.*, **97**, 3257 (1975).
 - 21) E. Nakamura, T. Murofushi, M. Shimizu, and I. Kuwajima, "Quaternary Ammonium Enolates as Synthetic Intermediates. Trimethylsilylacetate: A New Class of Silylating Reagent for Ketones and Alcohols", *J. Am. Chem. Soc.*, **98**, 2346-2348 (1976).
 - 22) I. Kuwajima, T. Sato, N. Minami, and T. Abe, "An Efficient Method for the Preparation of 1,1-Bis-(trimethylsilyl)alkan-1-ol", *Tetrahedron Lett.*, 1591-1594 (1976).
 - 23) E. Nakamura, M. Shimizu, and I. Kuwajima, "Quaternary Ammonium Enolates as Synthetic Intermediates. Generation of Ester Enolates by the Aid of α -Trimethylsilylestere and Quaternary Ammonium Fluoride, and their Reactions with Carbonyl Compounds", *Tetrahedron Lett.*, 1699-1702 (1976).
 - 24) I. Kuwajima, T. Sato, M. Arai, and N. Minami, "Regiospecific Directed Aldol Reactions of Methyl Ketones with Aldehydes", *Tetrahedron Lett.*, 1817-1820 (1976).
 - 25) I. Kuwajima, N. Minami, and M. Arai, "A Convenient Method for the Preparation of β -Hydroxy Esters", *Tetrahedron Lett.*, 2253-2256 (1976).
 - 26) E. Nakamura and I. Kuwajima, "Fluoride Catalyzed Addition of Silylacetylenes to Carbonyl Compounds", *Angew. Chem. Int. Ed. Engl.*, **15**, 498 (1976).
 - 27) I. Kuwajima, T. Murofushi, and E. Nakamura, "Quaternary Ammonium Fluoride Catalyzed Conjugate Addition of Thiols to C=C Double Bonds", *Synthesis*, 602-604 (1976).
 - 28) I. Kuwajima, T. Abe, and N. Minami, "An Efficient Method for the Preparation of Acylsilanes and α -Haloacylsilanes", *Chem. Lett.*, 993-994 (1976).
 - 29) I. Kuwajima, Y. Higuchi, H. Iwasawa, and T. Sato, "Decomposition Reactions of Unsaturated α -Phenylsulfonyl- α -diazo Ketones", *Chem. Lett.*, 1271-1274 (1976).
 - 30) E. Nakamura and I. Kuwajima, "Geminal Acylation via Pinacol Rearrangement. Synthesis of Spiro[4.n] Ring System", *J. Am. Chem. Soc.*, **99**, 961-963 (1977).
 - 31) R. Noyori, K. Yokoyama, J. Sakata, I. Kuwajima, E. Nakamura, and M. Shimizu, "Fluoride Anion Catalyzed Aldol Reaction between Enol Silyl Ethers and Carbonyl Compounds", *J. Am. Chem. Soc.*, **99**, 1265-1267 (1977).
 - 32) I. Kuwajima, M. Arai, and T. Sato, "Reactions of Lithium Alkoxides of 1,1-Bis(trimethylsilyl)alkan-1-ols with Benzophenone. A Novel Way to Silyl Enol Ethers of Acylsilanes", *J. Am. Chem. Soc.*, **99**, 4181-4182 (1977).
 - 33) T. Sato, M. Arai, and I. Kuwajima, "An Effective Preparative Method of α,β -Unsaturated Aldehydes via β -Alkoxyacylsilanes", *J. Am. Chem. Soc.*, **99**, 5827-5828 (1977).
 - 34) I. Kuwajima and E. Nakamura, "Generation of the *trans*-Enolate of Chloroacetaldehyde via a β -Oxido Carbenoid", *J. Org. Chem.*, **42**, 346-347 (1977).
 - 35) E. Nakamura, K. Hashimoto, and I. Kuwajima, "A Novel Ring Opening Reaction. An Improved Method for Reductive Succinylation", *J. Org. Chem.*, **42**, 4166-4167 (1977).
 - 36) N. Minami and I. Kuwajima, "Generation of the Enolate of Succinic Anhydride in the Presence

- of Carbonyl Compounds. A Facile Preparative Method of β -Methoxycarbonyl γ -Substituted γ -Butyrolactones", *Tetrahedron Lett.*, 1423-1424 (1977).
- 37) I. Kuwajima, K. Atsumi, and I. Azegami, "Reductive Silylation Reactions of 2-Furoates", *J. Chem. Soc., Chem. Commun.*, 76 (1977).
- 38) E. Nakamura and I. Kuwajima, "Homoenolate Anion Precursor. Reaction of Ester Homoenol Silyl Ether and Carbonyl Compounds", *J. Am. Chem. Soc.*, **99**, 7360-7362 (1977).
- 39) K. Atsumi and I. Kuwajima, "Selective Preparation of 1,3-Bis(trimethylsilyl)-1-, -2-propenyl, and 3-Trimethylsilyl-1,2-propadienyl Functional Groups", *Tetrahedron Lett.*, 2001-2004 (1977).
- 40) I. Kuwajima, M. Kato, and T. Sato, "Efficient Method for the Preparation of Trimethylsilyl Enol Ethers of Acyltrimethylsilanes", *J. Chem. Soc., Chem. Commun.*, 478-479 (1978).
- 41) T. Sato, T. Abe, and I. Kuwajima, "A New Rearrangement Reaction of 2-Chloro-1-trimethylsilyl Alkoxide. Preparation of β -Hydroxyalkyl- and β -Ketoalkyltrimethylsilane", *Tetrahedron Lett.*, 259-262 (1978).
- 42) I. Kuwajima and M. Shimizu, "Oxidation of Olefins with Diphenyl Diselenide/Bromine/Hexamethyldistannoxane. A One-Step Preparation of α -Phenylseleno Carbonyl Compounds from Olefins", *Tetrahedron Lett.*, 1277-1280 (1978).
- 43) E. Nakamura, K. Hashimoto, and I. Kuwajima, "Highly Stereoselective Formation of Enol Silyl Ethers", *Tetrahedron Lett.*, 2079-2082 (1978).
- 44) I. Kuwajima, T. Inoue, and T. Sato, "Dual Roles of Trimethylsilyl Group for Specific Generation of Enolates from β -Ketoalkyltrimethylsilanes. Regiospecific Preparation of Two Types of Acyclic Aldols", *Tetrahedron Lett.*, 4887-4890 (1978).
- 45) I. Kuwajima, T. Abe, and K. Atsumi, "Reductive Silylation Reactions of Sulfides. A Facile Conversion of Carbon-Sulfur Linkages into Carbon-Silicon Ones", *Chem. Lett.*, 383-386 (1978).
- 46) K. Atsumi and I. Kuwajima, "A New Ring Opening Reaction of Furaldehyde Diphenyl-dithioacetal via Reductive Silylation. Preparation of 2,3,4-Tris(trimethylsilyl)-3-alkenyl and 3,4,4-Tris(trimethylsilyl)-2-butenyl Ketones", *Chem. Lett.*, 387-390 (1978).
- 47) I. Kuwajima and T. Abe, "A Simple Preparative Method of Alkylthiotrimethylsilanes", *Bull. Chem. Soc. Jpn.*, **51**, 2183-2184 (1978).
- 48) N. Minami, T. Abe, and I. Kuwajima, "Preparation of α,β -Unsaturated Acyltrimethylsilanes", *J. Organomet. Chem.*, **145**, C1-3 (1978).
- 49) I. Kuwajima, I. Azegami, and E. Nakamura, "A Facile Method for the Preparation of 5-Alkoxy-1,4-diketones", *Chem. Lett.*, 1431-1434 (1978).
- 50) I. Kuwajima, T. Abe, N. Minami, and T. Sato, "A Remarkable Solvent Effect on the Reductive Silylation Reaction of Carboxylic Esters. Preparation of 1,1-Bis(trimethylsilyl)-1-alkanols", *Bull. Chem. Soc. Jpn.*, **51**, 2391-2393 (1978).
- 51) K. Atsumi and I. Kuwajima, "A Facile Ring Opening Reaction of Furfuryl Carbanion. Regioselective Generation of Di- or Trianionic Enolates", *J. Am. Chem. Soc.*, **101**, 2208-2210 (1979).
- 52) I. Kuwajima, K. Matsumoto, and T. Inoue, "Efficient Method for the Preparation of α -Trimethylsilyl carboxylic Acid Esters", *Chem. Lett.*, 41-42 (1979).
- 53) M. Shimizu, R. Takeda, and I. Kuwajima, "Regioselective Oxidation of Olefins into α -Phenylseleno Ketones", *Tetrahedron Lett.*, 419-422 (1979).
- 54) I. Kuwajima and I. Azegami, "Lewis acid Catalyzed Ring Opening Reaction of Cyclobutane-

- 1,2-diols Having 1-Alkoxy Substituents. Selective Synthesis of α,α -Disubstituted β -Hydroxy cyclopentanones", *Tetrahedron Lett.*, 2369-2372 (1979).
- 55) I. Kuwajima, T. Tanaka, and K. Atsumi, "Preparation and Reactions of 2-Substituted 3-Trimethylsilyl-4-en-1-one System", *Chem. Lett.*, 779-782 (1979).
- 56) I. Kuwajima and M. Kato, "1-Trimethylsilylallylic Alcohols as Homo-enolate Precursors. Stereo- and Regiospecific Synthesis of Silyl Enol Ethers", *J. Chem. Soc., Chem. Commun.*, 708-709 (1979).
- 57) M. Shimizu and I. Kuwajima, "Highly Efficient Method for Oxidation of Alcohols with *tert*-Butyl Hydroperoxide Catalyzed by Diaryl Diselenide", *Tetrahedron Lett.*, 2801-2804 (1979).
- 58) M. Shimizu, R. Takeda, and I. Kuwajima, "Highly Selective *anti*-Markownikoff Type Oxidation of Olefinic Bonds of Allylic Alcohol Derivatives. Specific Synthesis of β -Alkoxy α -Phenylseleno Carbonyl Compounds", *Tetrahedron Lett.*, 3461-3464 (1979).
- 59) I. Kuwajima, K. Atsumi, T. Tanaka, and T. Inoue, "Reaction of Furryllithium with Acyltrimethylsilanes, Specific Generation of 5-Trimethylsiloxy-3,4-pentadienone Enolates", *Chem. Lett.*, 1239-1240 (1979).
- 60) I. Kuwajima and K. Matsumoto, " α -Chloroacyltrimethylsilanes as α -Trimethylsilylacyl Equivalents. Specific C-Acylation of Enolates", *Tetrahedron Lett.*, 4095-4098 (1979).
- 61) T. Inoue and I. Kuwajima, "Highly Efficient Method for the Synthesis of Showdomycin", *J. Chem. Soc., Chem. Commun.*, 251-253 (1980).
- 62) I. Kuwajima and M. Kato, "Base-Induced Rearrangement of 1-Trimethylsilylpropargyl Alcohol. Generation of Lithiated Trimethylsiloxyallenes and their Reactions", *Tetrahedron Lett.*, **21**, 623-626 (1980).
- 63) I. Kuwajima, K. Matsumoto, and S. Sugahara, "Reactions of Enolates of Acyltrimethylsilanes with Aldehydes. Cannizzaro Type Oxidation-Reduction Reaction of a Trimethylsilylcarbonyl Group", *Chem. Lett.*, 525-528 (1980).
- 64) I. Kuwajima, M. Kato, and A. Mori, "Stereo- and Regioselective Conversion of 1-Trimethylsilylallylic Alcohols into the Silyl Enol Ethers Catalyzed by Butyllithium", *Tetrahedron Lett.*, **21**, 2745-2748 (1980).
- 65) M. Shimizu and I. Kuwajima, "Aryl Vinyl Selenoxides as a Versatile Reagent for Transfer of an Ethylene Unit to Enolates. New Synthetic Method of Formation of Cyclopropyl Ketones", *J. Org. Chem.*, **45**, 292-29231 (1980).
- 66) I. Kuwajima, S. Hoshino, T. Tanaka, and M. Shimizu, "A Facile Ring Opening Reaction of Furfuryl Selenides. Highly Efficient Method for Dienones", *Tetrahedron Lett.*, **21**, 3209-3212 (1980).
- 67) I. Kuwajima, A. Mori, and M. Kato, "Conversion of Carbon-Sulfur Linkages into Carbon-Silicon Ones via Reductive Silylation. Preparation of Silyl Enol Ethers of Acyltrimethylsilanes", *Bull. Chem. Soc. Jpn.*, **53**, 2634-2638 (1980).
- 68) M. Shimizu and I. Kuwajima, "3-Phenylseleno-2-propenal as a Versatile Unit for the Oxetane Ring Formation", *J. Org. Chem.*, **45**, 4063-4065 (1980).
- 69) I. Kuwajima, M. Kato, and A. Mori, "Stereo- and Regio-controlled Aldol Synthesis", *Tetrahedron Lett.*, **21**, 4291-4294 (1980).
- 70) E. Nakamura, K. Hashimoto, and I. Kuwajima, "Silylation of Relatively Acidic Compounds with

- Alkyl Trimethylsilylacetate", *Bull. Chem. Soc. Jpn.*, **54**, 805-808 (1981).
- 71) M. Shimizu, H. Urabe, and I. Kuwajima, "Selective Oxidation of Hydroxy Group of Alcohols Having Phenylthio and Phenylseleno Groups", *Tetrahedron Lett.*, **22**, 2183-2186 (1981).
- 72) I. Kuwajima and R. Takeda, "Preparation of α -Trialkylsilyl Ketones from Phenylseleno Derivatives via their Enol Silyl Ethers", *Tetrahedron Lett.*, **22**, 2381-2384 (1981).
- 73) M. Shimizu and I. Kuwajima, "One-Step Oxidation of Olefins into α -Phenylseleno Carbonyl Compounds", *Bull. Chem. Soc. Jpn.*, **54**, 3100-3105 (1981).
- 74) M. Shimizu, R. Takeda, and I. Kuwajima, "Oxidation of Olefins into α -Phenylseleno Carbonyl Compounds. Highly Regioselective *anti*-Markownikoff Type Oxidation of Allylic Alcohol Derivatives", *Bull. Chem. Soc. Jpn.*, **54**, 3510-3517 (1981).
- 75) I. Kuwajima and H. Urabe, "Regioselective Synthesis of Δ^3 -Butenolides via Oxidation of 2-Trimethylsilylfurans", *Tetrahedron Lett.*, **22**, 5191-5194 (1981).
- 76) M. Shimizu, R. Ando, and I. Kuwajima, "Highly Efficient Method for Ethylenic and Acetylenic Ketones via Fragmentation of Hydroxy Vinyl Selenones", *J. Org. Chem.*, **46**, 5246-5248 (1981).
- 77) I. Kuwajima, M. Shimizu, and H. Urabe, "Oxidation of Alcohols with *tert*-Butyl Hydroperoxide and Diaryl Diselenide", *J. Org. Chem.*, **47**, 837-842 (1982).
- 78) I. Kuwajima, E. Nakamura, and M. Shimizu, "Fluoride Mediated Reactions of Enol Silyl Ethers. Regiospecific Monoalkylation of Ketones", *J. Am. Chem. Soc.*, **104**, 1025-1030 (1982).
- 79) Y. S. Yokoyama, M. R. H. Elmoghayar, and I. Kuwajima, "Regiochemical Aspects in the Reactions of 2,3,5-Tri-O-benzoyl-D-ribofuranosyl Acetate with Silyl Enol Ethers Catalyzed by Stannic Chloride", *Tetrahedron Lett.*, **23**, 2673-2676 (1982).
- 80) I. Kuwajima and H. Urabe, "Regioselective Arylation of Silyl Enol Ethers of Methyl Ketones with Aryl Bromides", *J. Am. Chem. Soc.*, **104**, 6831-6833 (1982).
- 81) E. Nakamura and I. Kuwajima, "Isolation and Reactions of Titanium Homo-enolates of Esters", *J. Am. Chem. Soc.*, **105**, 651-652 (1983).
- 82) I. Kuwajima, E. Nakamura, and K. Hashimoto, "Fluoride Catalyzed Reaction of Silylacetylenes with Carbonyl Compounds", *Tetrahedron*, **39**, 975-982 (1983).
- 83) E. Nakamura and I. Kuwajima, "Formation of α -Trichlorostannyl Ketones in the Reaction of Stannic Chloride with Enol Silyl Ethers", *Chem. Lett.*, 59-62 (1983).
- 84) I. Kuwajima and E. Nakamura, "Silylation of Ketones with Ethyl Trimethylsilylacetate: (*Z*)-3-Tri-methylsilyloxypentene", *Org. Syn.*, **61**, 122-129 (1983).
- 85) I. Kuwajima, S. Sugahara, and J. Enda, "Isomerization of 1-Trimethylsilylallenyl Ether to 1-Trimethylsilylpropargyl Ether. Preparation of 1-Methoxy-1-alken-3-yne and 2-Methoxy-2,5-dihydrofurans", *Tetrahedron Lett.*, **24**, 1061-1064 (1983).
- 86) E. Nakamura, J. Shimada, and I. Kuwajima, "Ring Expansion of Succinoin Derivatives. New Synthetic Routes to Cyclopentenones", *J. Chem. Soc., Chem. Commun.*, 498-499 (1983).
- 87) E. Nakamura, K. Fukuzaki, and I. Kuwajima, "Cyclopentenones by Internal Acylation of Vinylsilanes. Rapid Construction of Trichotecane Type Carbon Frameworks", *J. Chem. Soc., Chem. Commun.*, 499-501 (1983).
- 88) E. Nakamura, J. Shimada, Y. Horiguchi, and I. Kuwajima, "Formation and Characterization of Trichlorotitanium Enolates", *Tetrahedron Lett.*, **24**, 3341-3342 (1983).
- 89) E. Nakamura, M. Shimizu, I. Kuwajima, J. Sakata, K. Yokoyama, and R. Noyori, "Fluoride Catalyzed Aldol Reaction between Enol Silyl Ethers and Carbonyl Compounds", *J. Org. Chem.*,

- 48**, 932-945 (1983).
- 90) E. Nakamura and I. Kuwajima, "Aldol Reactions of Trichlorotitanium Enolates. Revaluation of the Boat Transition State", *Tetrahedron Lett.*, **24**, 3343-3346 (1983).
- 91) E. Nakamura and I. Kuwajima, "Erythro Selective Aldol Reaction of α -Stannyl Ketones", *Tetrahedron Lett.*, **24**, 3347-3350 (1983).
- 92) E. Nakamura, Y. Horiguchi, J. Shimada, and I. Kuwajima, "Remarkable Equatorial Selectivity in the Aldol Coupling between Enol Silyl Ethers and Cyclohexanone Acetals", *J. Chem. Soc., Chem. Commun.*, 796-797 (1983).
- 93) H. Urabe, Y. Takano, and I. Kuwajima, "Chemoselective Desilylation of Silyl Enol Ethers with Tributyltin Fluoride Catalyzed by a Palladium", *J. Am. Chem. Soc.*, **105**, 5703-5704 (1983).
- 94) H. Urabe and I. Kuwajima, "Hydroxy Group Assisted Isomerization and Alkylation of Allylsilanes in Basic Media. α -(1-Trimethylsilylallyl) Ketone as an α -Alkenyl Ketone Equivalent", *Tetrahedron Lett.*, **24**, 4241-4244 (1983).
- 95) I. Kuwajima, R. Ando, and T. Sugawara, "Regio- and Site-selective Activation of Carbon-Carbon Double Bonds to Nucleophilic Reagents. Cyclopropanation of Vinyl Selenones with Active Methylene Compounds", *Tetrahedron Lett.*, **24**, 4429-4432 (1983).
- 96) H. Urabe and I. Kuwajima, "Generation of Stannyl Derivatives of Methyl Ketones via a Selective Silyl/Stannyl Exchange and its Application to Aldol Reactions", *Tetrahedron Lett.*, **24**, 5001-5004 (1983).
- 97) R. Ando, T. Sugawara, and I. Kuwajima, "Reactions of Active Methyne Compounds with Vinyl Selenones. One-Step Synthesis of 2-Acylcyclopropanecarbaldehydes", *J. Chem. Soc., Chem. Commun.*, 1514-1515 (1983).
- 98) H. Urabe and I. Kuwajima, "A Cyclopentanone Annulation via Intramolecular Acylation of Alkylsilanes", *J. Org. Chem.*, **49**, 1140-1141 (1984).
- 99) J. Shimada, K. Hashimoto, B. H. Kim, E. Nakamura, and I. Kuwajima, "Ring Expansion and Cleavage of Succinoin Derivatives. Geminal Acylation, Reductive Succinoylation, and Stereoselective Spiro Annelation Methods", *J. Am. Chem. Soc.*, **106**, 1759-1773 (1984).
- 100) M. Kato, A. Mori, H. Oshino, J. Enda, K. Kobayashi, and I. Kuwajima, "Base-Induced Rearrangement of 1-(Trimethylsilyl)allylic Alcohols. Stereo- and Regioselective Synthesis of Silyl Enol Ethers through Lithium Homo-enolates", *J. Am. Chem. Soc.*, **106**, 1773-1778 (1984).
- 101) Y. S. Yokoyama, T. Inoue, and I. Kuwajima, "Reactions of 2,3,5-Tri-O-benzoyl-D-ribofuranosyl Acetate with Enol Silyl Ethers Catalyzed by Tin(IV) Chloride. Regiochemical Features", *Bull. Chem. Soc. Jpn.*, **57**, 553-556 (1984).
- 102) M. Kato and I. Kuwajima, "Specific Generation of Lithiated 3-Trimethylsiloxy-1,2-propadiene Derivatives from 1-(Trimethylsilyl)propargyl Alcohols", *Bull. Chem. Soc. Jpn.*, **57**, 827-830 (1984).
- 103) T. Sato, K. Matsumoto, T. Abe, and I. Kuwajima, "Reactions of 2-Chloroacyltrimethylsilanes with Grignard Reagents. Preparation of 3-(Trimethylsilyl)-2-alkanones and 2-(Trimethylsilyl)-alkanols", *Bull. Chem. Soc. Jpn.*, **57**, 2167-2170 (1984).
- 104) M. Shimizu, R. Ando, and I. Kuwajima, "Reactions of 3-Hydroxy Vinyl Selenones with Alkoxides. Oxetane Formation and Fragmentation Reactions", *J. Org. Chem.*, **49**, 1230-1238 (1984).
- 105) E. Nakamura and I. Kuwajima, "Copper Catalyzed Acylation and Conjugate Addition of Zinc

- Homoenolate. Synthesis of 4- and 6-Oxo Esters", *J. Am. Chem. Soc.*, **106**, 3368-3370 (1984).
- 106) K. Fukuzaki, E. Nakamura, and I. Kuwajima, "Stereo-selective Synthesis of *trans*-Hydrindanone by Internal Vinylsilane Acylation", *Tetrahedron Lett.*, **25**, 3591-3594 (1984).
- 107) R. Ando, T. Sugawara, M. Shimizu, and I. Kuwajima, "Reactions of Enolates with Vinyl Selenoxides and Vinyl Selenones. One-Step Synthesis of Cyclopropylcarbonyl Compounds", *Bull. Chem. Soc. Jpn.*, **57**, 2897-2904 (1984).
- 108) J. Enda, T. Matsutani, and I. Kuwajima, "Stoichiometric Generation of Magnesium Homoenolates from Acyltrimethylsilanes. Synthesis of 1,6-Diketone Derivatives", *Tetrahedron Lett.*, **25**, 5307-5310 (1984).
- 109) T. Inoue, T. Sato, and I. Kuwajima, "Aldol Reactions with α -Trimethylsilyl Ketones. Dual Roles of Trimethylsilyl Group for Regiospecific Generation of Enolate Equivalents", *J. Org. Chem.*, **49**, 4671-4674 (1984).
- 110) J. Enda and I. Kuwajima, "A Lewis Acid Mediated Rearrangement Reaction of 1-(Trimethylsilyl)-prop-2-ynyl Trimethylsilyl Ethers to 2-Trimethylsilyl Enones", *J. Chem. Soc., Chem. Commun.*, 1589 (1984).
- 111) I. Kuwajima, "Synthetic Organic Reactions by Means of Reactive Nucleophiles Generated through a Rearrangement of Silyl Group", *J. Organomet. Chem.*, **286**, 137-148 (1985).
- 112) E. Nakamura, J. Shimada, and I. Kuwajima, "A Ring Opening Reaction of 1-Siloxy-1-alkoxy-cyclopropanes. Preparation of Main Group Metal Homoenolate of Alkyl Propionate", *Organometallics*, **4**, 641-646 (1985).
- 113) T. Sugawara and I. Kuwajima, "A One-Carbon Ring Enlarged Cyclopropanation or Vinylation of Cyclic Keto Esters and Sulfones", *Tetrahedron Lett.*, **26**, 5571-5574 (1985).
- 114) I. Kuwajima and E. Nakamura, "Reactive Enolates from Enol Silyl Ethers", *Acc. Chem. Res.*, **18**, 181-187 (1985).
- 115) Y. Takano, A. Yasuda, H. Urabe, and I. Kuwajima, "A Highly Efficient Method for Introduction of Butenolide Moieties to Various Electrophiles", *Tetrahedron Lett.*, **26**, 6225-6228 (1985).
- 116) H. Oshino, E. Nakamura, and I. Kuwajima, "Catalytic Homo-Reformatsky Reaction. Ambident Reactivities of Zinc Homoenolate of Propionate", *J. Org. Chem.*, **50**, 2802-2804 (1985).
- 117) E. Nakamura and I. Kuwajima, "Stereocontrolled Construction of Oxygenated Steroidal Side Chains. Synthesis and Stereochemistry of Depresosterol", *J. Am. Chem. Soc.*, **107**, 2138-2141 (1985).
- 118) J. Enda and I. Kuwajima, "General Method for Generation of 3-Siloxyallylmetallic species and their Synthetic Application", *J. Am. Chem. Soc.*, **107**, 5495-5501 (1985).
- 119) E. Nakamura, H. Oshino, and I. Kuwajima, "Trichlorotitanium and Alkoxytitanium Homoenolates. Preparation, Characterization, and Utilization for Organic Synthesis", *J. Am. Chem. Soc.*, **108**, 3745-3755 (1986).
- 120) Y. Hatanaka and I. Kuwajima, "Reactions of 3-[(Trimethylsilyl)methyl]cyclo-2-hexenone with Carbonyl Compounds. Regio- and Chemoselective Condensation", *J. Org. Chem.*, **51**, 1932-1934 (1986).
- 121) Y. Horiguchi, E. Nakamura, and I. Kuwajima, "Total Synthesis of (\pm)-Cortisone. Double Hydroxylation Reactions for Construction of Corticoid Side Chain", *J. Org. Chem.*, **51**, 4323-4325 (1986).
- 122) E. Nakamura and I. Kuwajima, "Palladium Catalyzed Reaction of Propionates. Arylation,

- Vinylation, and Acylation", *Tetrahedron Lett.*, **27**, 83-86 (1986).
- 123) Y. Hatanaka and I. Kuwajima, "An Intramolecular Acylation of Olefins Directed by Trimethylsilyl Group. Synthesis of 2-Cyclopropylcycloalkanones", *Tetrahedron Lett.*, **27**, 719-722 (1986).
- 124) H. Urabe and I. Kuwajima, "A Radical Cyclization between Enol Silyl Ethers and Aryl or Vinyl Bromides", *Tetrahedron Lett.*, **27**, 1355-1358 (1986).
- 125) Y. Horiguchi, S. Matsuzawa, E. Nakamura, and I. Kuwajima, "Me₃SiCl/HMPA Accelerated Conjugate Addition of Catalytic Copper Reagent. Stereoselective Synthesis of Enol Silyl Ethers of Aldehydes", *Tetrahedron Lett.*, **27**, 4025-4028 (1986).
- 126) E. Nakamura, S. Matsuzawa, Y. Horiguchi, and I. Kuwajima, "Me₃SiCl/HMPA Accelerated Conjugate Addition of Stoichiometric Organocopper Reagents", *Tetrahedron Lett.*, **27**, 4029-4032 (1986).
- 127) E. Nakamura, K. Sekiya, and I. Kuwajima, "Chiral Zinc Homoenate of Methyl Isobutyrate. A New Building Block for the Synthesis of Chiral α -Methylester", *Tetrahedron Lett.*, **28**, 337-340 (1987).
- 128) K. Tanino, Y. Hatanaka, and I. Kuwajima, "Directing Effect of a Silyl Group on Cationic Rearrangement Reactions", *Chem. Lett.*, 385-388 (1987).
- 129) R. Matsuoka, Y. Horiguchi, and I. Kuwajima, "Stoichiometric Generation of 3-Siloxyallenyl-lithium and its Reaction with Electrophiles", *Tetrahedron Lett.*, **28**, 1299-1302 (1987).
- 130) E. Nakamura, S. Aoki, K. Sekiya, H. Oshino, and I. Kuwajima, "Carbon-Carbon Bond Forming Reactions of Zinc Homoenate of Esters. A Novel Three-Carbon Nucleophile with General Synthetic Utility", *J. Am. Chem. Soc.*, **109**, 8056-8066 (1987).
- 131) K. Takanishi, H. Urabe, and I. Kuwajima, "Remarkable Stabilizing Effects of Silyl Group on Furfuryl Chlorides and Furfuryl Grignard Reagents", *Tetrahedron Lett.*, **28**, 2281-2282 (1987).
- 132) H. Sakata and I. Kuwajima, "Conjugate Addition of Organocopper Reagents to Unsaturated Esters", *Tetrahedron Lett.*, **28**, 5719-5722 (1987).
- 133) E. Nakamura and I. Kuwajima, "Ring Expansion and Cleavage of Succinoin Derivatives: Spiro[4.5]decane-1,3-dione and Ethyl 4-Cyclohexyl-4-oxobutanoate", *Org. Syn.*, **65**, 17-25 (1987).
- 134) T. Oshima, N. Hamazaki, M. Senshu, K. Kakinuma, and I. Kuwajima, "A New Naturally Occurring Polyamine Containing a Quaternary Ammonium Nitrogen", *J. Biol. Chem.*, **262**, 11979-11981 (1987).
- 135) S. Aoki, T. Fujimura, E. Nakamura, and I. Kuwajima, "Palladium-Catalyzed Arylation of Siloxycyclopropanes with Aryl Triflates. Carbon Chain Elongation via Catalytic Carbon-Carbon Bond Cleavage", *J. Am. Chem. Soc.*, **110**, 3296-3298 (1988).
- 136) S. Aoki, E. Nakamura, and I. Kuwajima, "Synthesis of 4-Keto Pimelates by Palladium-Catalyzed Carbonylative Symmetrical Coupling of Siloxycyclopropanes", *Tetrahedron Lett.*, **29**, 1541-1542 (1988).
- 137) K. Tanino, T. Katoh, and I. Kuwajima, "A Highly Selective One-Carbon Ring Enlargement Reaction Directed by Silicon", *Tetrahedron Lett.*, **29**, 1815-1818 (1988).
- 138) T. Katoh, K. Tanino, and I. Kuwajima, "A Highly Efficient Method for One-Carbon Ring Expansion. Preparation of 1-Alkoxy-2-methylenecycloalkanes", *Tetrahedron Lett.*, **29**, 1819-1822 (1988).

- 139) E. Nakamura, S. Yamago, D. Matii, and I. Kuwajima, "Stereochemistry of the Fluoride Catalyzed Aldol Reaction of Enol Silyl Ethers. Evidence for Another Non-Chelate Transition State", *Tetrahedron Lett.*, **29**, 2207-2210 (1988).
- 140) I. Kuwajima, "1-Alkoxy-1-siloxycyclopropanes as Homoenolate Nucleophiles of Esters", *Pure Appl. Chem.*, **60**, 115-122 (1988).
- 141) E. Nakamura and I. Kuwajima, "Copper-Catalyzed Conjugate Addition of a Zinc Homoenolate: Ethyl 3-[3-(Trimethylsiloxy)cyclohex-2-enyl]propionate", *Org. Syn.*, **66**, 43-49 (1988).
- 142) I. Kuwajima and H. Urabe, "Cyclopentanones from Carboxylic Acids via Intramolecular Acylation of Alkylsilanes: 2-Methyl-2-vinylcyclopentanone", *Org. Syn.*, **66**, 87-94 (1988).
- 143) S. Matsuzawa, Y. Horiguchi, E. Nakamura, and I. Kuwajima, "Chlorosilane-Accelerated Conjugate Addition of Catalytic and Stoichiometric Organocopper Reagents", *Tetrahedron*, **45**, 349-362 (1989).
- 144) S. Matsuzawa, M. Isaka, E. Nakamura, and I. Kuwajima, "Me₃SiCl-Assisted 1,2-Addition of Organocuprates to Carbonyl Compounds", *Tetrahedron Lett.*, **30**, 1975-1978 (1989).
- 145) Y. Horiguchi, E. Nakamura, and I. Kuwajima, "Double Hydroxylation of Enol Silyl Ethers. A Single-Step Synthesis of α,α' -Dihydroxy Ketones", *Tetrahedron Lett.*, **30**, 3323-3326 (1989).
- 146) Y. Horiguchi, Y. Kataoka, and I. Kuwajima, "Regioselective Synthesis of Two Types of Cyclic 3-(Trimethylsilylmethyl)enones", *Tetrahedron Lett.*, **30**, 3327-3330 (1989).
- 147) Y. Horiguchi, E. Nakamura, and I. Kuwajima, "Total Synthesis of (\pm)-Cortisone. Double Hydroxylation Reaction for Corticoid Synthesis", *J. Am. Chem. Soc.*, **111**, 6257-6265 (1989).
- 148) T. Matsuda, K. Tanino, and I. Kuwajima, "A Selective One-Carbon Ring Expansion Reaction of 1-Siloxycycloalkanecarbaldehydes Catalyzed by a Lewis Acid", *Tetrahedron Lett.*, **30**, 4267-4270 (1989).
- 149) K. Tanino, K. Sato, and I. Kuwajima, "Silicon-Based Nucleophiles Mediated One-Carbon Ring Enlargement Reactions of 1-(Trimethylsilylmethyl)cycloalkanecarbaldehydes", *Tetrahedron Lett.*, **30**, 6551-6554 (1989).
- 150) Y. Horiguchi, T. Furukawa, and I. Kuwajima, "A Highly Efficient Eight-Membered Ring Cyclization for Construction of Taxane Carbon Framework", *J. Am. Chem. Soc.*, **111**, 8277-8279 (1989).
- 151) S. Aoki, T. Fujimura, E. Nakamura, and I. Kuwajima, "Palladium- and Platinum-Catalyzed Reaction of Siloxycyclopropanes with Acid Chlorides. A Homoenolate Route to 1,4-Dicarbonyl Compounds", *Tetrahedron Lett.*, **30**, 6541-6544 (1989).
- 152) Y. Horiguchi, M. Komatsu, and I. Kuwajima, "Does Me₃SiCl Activate Conjugate Addition of Copper Reagents as a Lewis Acid?", *Tetrahedron Lett.*, **30**, 7087-7090 (1989).
- 153) H. Sakata, Y. Aoki, and I. Kuwajima, "A Remarkable Catalytic Effect of Cu(II) Species for Conjugate Addition of Grignard Reagents to α,β -Unsaturated Esters", *Tetrahedron Lett.*, **31**, 1161-1164 (1990).
- 154) K. Tanino, T. Nakamura, and I. Kuwajima, "Highly Threo-Selective Ene-Reaction of 2-(Alkyl-thio)allyl Silyl Ethers with Aldehydes", *Tetrahedron Lett.*, **31**, 2165-2168 (1990).
- 155) T. Kato, S. Marumoto, T. Sato, and I. Kuwajima, "A Remarkable Effect of a 3-OLi group to Fix the Conformation of Lithium 1-Phenyl-1-propanides", *Synlett*, 671-672 (1990).
- 156) Y. Aoki and I. Kuwajima, "A Catalytic Role of Cu(II) for Conjugate Addition of Grignard Reagents. A Completely Different Behavior from Organocuprates", *Tetrahedron Lett.*, **31**,

- 7457-7460 (1990).
- 157) M. Komatsu, I. Suehiro, Y. Horiguchi, and I. Kuwajima, "[3 + 2] Cycloaddition of 2-Alkoxy-cyclopropyl Carbonyl Compounds with Enol Silyl Ethers for Functionalized Cyclopentane Formation", *Synlett*, 771-773 (1991).
- 158) P. G. Williard, E. Nakamura, and I. Kuwajima, "Structure of (2R,1'S*)-2-(Hydroxyphenyl-methyl)-2-methylcyclohexane, C₁₄H₁₈O₂", *Acta Cryst.*, **C47**, 984-985 (1991).
- 159) Y. Sakai, Y. Kojima, Y. Ohashi, K. Morihira, T. Furukawa, Y. Horiguchi, and I. Kuwajima, "Structure of endo-(5R*,6R*,11R*,12S*)-5,5,11,12-Tetrahydro-4,11,12-trimethoxy-9,13,13-trimethyl-5-(triethylsiloxy)-6,10-methano-8(7H)-benzocyclodecenone", *Acta Cryst.*, **C47**, 2700-2702 (1991).
- 160) K. Tanino, H. Shoda, T. Nakamura, and I. Kuwajima, "Ene Reaction of 2-(Alkylthio)allyl Silyl Ether Involving a Chirality Transfer", *Tetrahedron Lett.*, **33**, 1337-1340 (1992).
- 161) T. Kanbara, T. Kushida, N. Saito, I. Kuwajima, K. Kubota, and T. Yamamoto, "Preparation and Properties of Highly Electron-accepting Poly(pyrimidine-2,5-diyl)", *Chem. Lett.*, 583-586 (1992).
- 162) S. Marumoto and I. Kuwajima, "Regio- and Stereo-defined Synthesis of Organosilicon Compounds via Rearrangement of Silyl Group", *Chem. Lett.*, 1421-1424 (1992).
- 163) T. Nakamura, K. Tanino, and I. Kuwajima, "Remarkable Stereochemical Features of Ene Reaction of 2-(Alkylthio)crotyl Silyl Ethers. Proposal of a Six-Membered Chair-like Transition State", *Chem. Lett.*, 1425-1428 (1992).
- 164) Y. Kataoka, Y. Nakamura, K. Morihira, H. Arai, Y. Horiguchi, and I. Kuwajima, "Lewis Acid Mediated Intramolecular Cyclization of the Dienol Silyl Ether or Enol Silyl Ether and the Acetal for Medium-Sized Ring Formation", *Tetrahedron Lett.*, **33**, 6979-6982 (1992).
- 165) T. Furukawa, K. Morihira, Y. Horiguchi, and I. Kuwajima, "Synthetic Studies on Taxane Carbon Framework. A Highly Efficient Eight-Membered Ring Cyclization with Complete Stereocontrol", *Tetrahedron*, **48**, 6975-6984 (1992).
- 166) K. Tanino, M. Takahashi, K. Murayama, and I. Kuwajima, "Generation of a Lewis Acid Activated Formaldimine and its Reactions with Enol Silyl Ethers. N-Unsubstituted Aminomethylation", *J. Org. Chem.*, **57**, 7009-7010 (1992).
- 167) K. Morihira, M. Seto, T. Furukawa, Y. Horiguchi, and I. Kuwajima, "The Seven-Membered Ring Intermediate to Control the Stereochemistry on the Eight-Membered Taxane B Ring Cyclization", *Tetrahedron Lett.*, **34**, 345-348 (1993).
- 168) M. Seto, K. Morihira, S. Katagiri, T. Furukawa, Y. Horiguchi, and I. Kuwajima, "Synthesis of C-Aromatic Taxinine Derivatives", *Chem. Lett.*, 133-136 (1993).
- 169) T. Nakamura, K. Tanino, and I. Kuwajima, "Highly Stereoselective Chelation Controlled Ene Reaction of 2-(Alkylthio)allyl Silyl Ethers", *Tetrahedron Lett.*, **34**, 477-480 (1993).
- 170) Y. Kojima, Y. Ohashi, T. Osano, T. Matsuzaki, Y. Horiguchi, and I. Kuwajima, "Crystal Structure of (5RS, 6RS, 10RS, 11RS)-5,6,10,11-Tetrahydro-5-acetyl-8-formyl-10-hydroxy-4,11-dimethoxy-7,7,9-trimethyl-6,10-methano-7H-benzocyclononene", *Anal. Sci.*, **9**, 433-434 (1993).
- 171) A. Adachi, K. Masuya, K. Tanino, and I. Kuwajima, "An Enantioselective Synthesis of Anthracycline Precursor", *J. Org. Chem.*, **58**, 4189-4190 (1993).
- 172) T. Furukawa, M. Seto, Y. Horiguchi, and I. Kuwajima, "Diastereoselective Conjugate Addition

- for Construction of Taxane Precursors", *Chem. Lett.*, 1279-1282 (1993).
- 173) S. Kamei, A. Uchida, Y. Ohashi, M. Seto, K. Morihira, Y. Horiguchi, and I. Kuwajima, "Structure of endo-(5R*,6R*,10R*,11S*)-10-(tert-Butyldimethylsiloxy)-5,6,10,11-tetrahydro-5-hydroxy-4,11-dimethoxy-7,7,9-trimethyl-6,10-methano-(7H)-benzocyclononene-8-carbaldehyde", *Acta Cryst.*, **C49**, 1201-1203 (1993).
- 174) Y. Horiguchi, I. Suehiro, A. Sasaki, and I. Kuwajima, "Diastereoselective [3 + 2] Cycloaddition of Methyl 2-Phenylthiocyclopropyl Ketones with Enol Silyl Ethers: Synthesis of Functionalized Cyclopentanes", *Tetrahedron Lett.*, **34**, 6077-6080 (1993).
- 175) H. Shoda, T. Nakamura, K. Tanino, and I. Kuwajima, "Lewis Acid Promoted Ene-like Reactions of Enol Ethers with Aldehydes", *Tetrahedron Lett.*, **34**, 6281-6284 (1993).
- 176) S. Marumoto and I. Kuwajima, "Regiochemically and Stereochemically Defined Synthesis of Allylsilanes", *J. Am. Chem. Soc.*, **115**, 9021-9024 (1993).
- 177) M. Takahashi, K. Tanino, and I. Kuwajima, "Construction of N-Acylated 4-Piperidones via Selective Carbon-Nitrogen and Carbon-Carbon Bond Formation", *Chem. Lett.*, 1655-1658 (1993).
- 178) S. Kamei, Y. Sasaki, Y. Ohashi, A. Adachi, K. Tanino, and I. Kuwajima, "Structure of an Optically Active Anthracycline Precursor", *Acta Cryst.*, **C49**, 1509-1512 (1993).
- 179) S. Kamei, Y. Takenaka, Y. Sakai, Y. Ohashi, M. Seto, Y. Horiguchi, and I. Kuwajima, "Crystal Structure of Exo-(5R*,6R*,11S*,12S*)-5,6,11,12-tetrahydro-4,11,12-trimethoxy-9,13,13-trimethyl-5-[(triethylsilyl)oxy]-6,10-methano-8(7H)-benzocyclodecenone", *Anal. Sci.*, **9**, 741-742 (1993).
- 180) S. Kamei, Y. Sakai, Y. Ohashi, K. Tsuruta, Y. Horiguchi, and I. Kuwajima, "Structure of endo-(5S*,6S*,11R*,12R*)-5,6,11,12-Tetrahydro-5,6-dihydroxy-4,11,12-trimethoxy-9,13,13-trimethyl-6,10-methano-8(7H)-benzocyclodecenone", *Acta Cryst.*, **C49**, 1802-1804 (1993).
- 181) M. Takayanagi, N. Umamori, K. Tanino, and I. Kuwajima, "A Novel Transformation Involving Selective Formation and Cleavage of C-C Bonds", *J. Am. Chem. Soc.*, **115**, 12635-12636 (1993).
- 182) S. Kamei, Y. Takenaka, A. Uchida, Y. Ohashi, T. Furukawa, Y. Horiguchi, and I. Kuwajima, "Crystal Structure of (1R*, 2R*, 6S*, 7S*, 9S*)-6,10,10,12-Tetramethyl-1-[(triisopropylsilyl)oxy]-tricyclo[7.3.1.0^{2,7}]tridec-11-ene-6,11-dicarbaldehydes", *Anal. Sci.*, **9**, 877-878 (1993).
- 183) Y. Takenaka, Y. Sakai, Y. Ohashi, T. Furukawa, Y. Horiguchi, and I. Kuwajima, "Crystal Structure of (5R*)-5-[(6S*)-2-(Dimethoxymethyl)-6-hydroxycyclohex-1-ene-1-yl]-methyl-2,6,6-trimethyl-3-[(tri-isopropylsilyl)oxy]cyclohex-2-en-1-one", *Anal. Sci.*, **9**, 883-884 (1993).
- 184) S. Kamei, Y. Takenaka, Y. Sakai, Y. Ohashi, K. Tsuruta, Y. Horiguchi, and I. Kuwajima, "Crystal Structure of exo-(5R*)-5-[(1R*)-2-(dimethoxymethyl)-6-methoxy phenyl]-[(trimethylsilyl)oxy]methyl]-5-hydroxy-2,4,4-trimethyl-3-oxocyclohex-1-en-1-yl Pivaloate", *Anal. Sci.*, **9**, 889-890 (1993).
- 185) Y. Tohyama, K. Tanino, and I. Kuwajima, "Highly Stereoselective Ene Reaction of Aldimine with 2-(Alkylthio)allyl Silyl Ethers", *J. Org. Chem.*, **59**, 518-519 (1994).
- 186) M. Seto, K. Morihira, Y. Horiguchi, and I. Kuwajima, "An Efficient Approach toward Taxinine Analogues: Atrop- and Diastereoselective Eight-Membered B Ring Cyclization for Synthesis of C-Aromatic Taxinine Derivatives", *J. Org. Chem.*, **59**, 3165-3174 (1994).
- 187) Y. Takenaka, T. Ono, A. Uchida, Y. Ohashi, T. Furukawa, Y. Horiguchi, and I. Kuwajima, "endo-(1R*,9R*,10R*)-9,10-Dimethoxy-12,15,15-trimethyltricyclo[9.3.1.0^{3,8}]pentadeca-3(8),11-

- diene-4,13-dione", *Acta Cryst.*, **C50**, 556-558 (1994).
- 188) T. Nakamura, N. Waizumimi, K. Tsuruta, Y. Horiguchi, and I. Kuwajima, "Synthesis of Taxol Analogues: Control of Atropisomerism", *Synlett*, 584-586 (1994).
- 189) T. Nakamura, N. Waizumi, Y. Horiguchi, and I. Kuwajima, "An Enantioselective Synthesis of A-Ring fragment of Taxol", *Tetrahedron Lett.*, **35**, 7813-7816 (1994).
- 190) M. Seto, K. Sakurai, Y. Horiguchi, and I. Kuwajima, "Functional group Elaboration for Taxol C-Ring. γ -Enolization of the α,β -Enone Directed by the Hydroxy Group", *Synlett*, 993-994 (1994).
- 191) K. Masuya, K. Tanino, and I. Kuwajima, "3-(Alkylthio)-1,2-Bisiloxy-3-butenes as Efficient Chirality Transferred Building Blocks", *Tetrahedron Lett.*, **35**, 7965-7968 (1994).
- 192) Y. Takenaka, S. Kubo, Y. Ohashi, T. Nakamura, N. Waizumi, Y. Horiguchi, and I. Kuwajima, "endo-(5R,6R,11S,12S)-5,6,11,12-Tetrahydro-6-hydroxy-4,11,12-trimethoxy-9,13,13-trimethyl-5-[(trimethylsilyloxy)-6,10-methano-8(7H)-benzocyclodecenone", *Acta Cryst.*, **C50**, 1820-1822 (1994).
- 193) M. Takayanagi, K. Tanino, and I. Kuwajima, "Conjugate Addition of Alkenylsulfides with α,β -Unsaturated Carbonyl Compounds. Remarkable $n-\pi^*$ Orbital Interaction for Control of Regio- and Stereochemistry", *Synlett*, 173-174 (1995).
- 194) Y. Horiguchi, E. Nakamura, and I. Kuwajima, "Double Hydroxylation Reaction for Construction of the Corticoid Side Chain: Synthesis of 16-Methylcortexolone", *Org. Syn.*, **73**, 123 (1995).
- 195) K. Masuya, K. Domon, K. Tanino, and I. Kuwajima, "A New Synthetic Method for Cyclopentanones via Formal [3 + 2] Cycloaddition Reaction", *Synlett*, 157-158 (1996).
- 196) Y. Takahashi, K. Tanino, and I. Kuwajima, "Methylenecyclopentane Annulation via Formal [3 + 2] Cycloaddition Reactions", *Tetrahedron Lett.*, **37**, 5943-5946 (1996).
- 197) K. Sato, T. Koga, K. Masuya, K. Tanino, and Isao Kuwajima, "Diastereoselective Introduction of Carbon Chain to Pyrrolidone Derivatives", *Synlett*, 751-752 (1996).
- 198) R. Hara, T. Furukawa, Y. Horiguchi, and I. Kuwajima, "Total Synthesis of (\pm)-Taxusin", *J. Am. Chem. Soc.*, **118**, 9186-9187 (1996).
- 199) I. Kuwajima, and K. Tanino, "New Aspects of Vinylsulfide Chemistry", *J. Syn. Org. Chem. Jpn.*, **54**, 929-940 (1996).
- 200) T. Nakamura, T. Matsui, K. Tanino, and I. Kuwajima, "A New Approach for Ingenol Synthesis", *J. Org. Chem.*, **62**, 3032-3033 (1997).
- 201) K. Tanino, Y. Yoshitani, F. Moriyama, and I. Kuwajima, "Control of Stereochemistry by σ -Participation of a Silyl Group. Novel Ring Expansion Reactions of a 1-Oxa-2-silacyclopentane Derivative", *J. Org. Chem.*, **62**, 4206-4207 (1997).
- 202) K. Domon, K. Masuya, K. Tanino, and I. Kuwajima, "Highly Efficient Method for Coriolin Synthesis", *Tetrahedron Lett.*, **38**, 465-468 (1997).
- 203) M. Sugai, K. Tanino, and I. Kuwajima, "A New Synthetic Method for Cyclic Allenes and Acetylenes. Cleavage of a C-C Bond Directed by a Silyl Group", *Synlett Special Issue*, 461-462 (1997).
- 204) H. Kusama, T. Mori, I. Mitani, T. Kashima, and I. Kuwajima, "Diastereo- and Enantioselective Synthesis of Allylsilanes. A Useful C Ring Fragment of Taxol", *Tetrahedron Lett.*, **38**, 4129-4131 (1997).
- 205) K. Masuya, K. Domon, K. Tanino, and I. Kuwajima, "Highly Regio- and Stereoselective [3 + 2]

- Cyclopentanone Annulation Using a 3-(Alkylthio)-2-siloxyallyl Cationic Species", *J. Am. Chem. Soc.*, **120**, 1724-1731 (1998).
- 206) K. Tanino, T. Shimizu, M. Kuwahara, and I. Kuwajima, "A Novel Method for Inside Selective Silylation of 1,2-Diols", *J. Org. Chem.*, **63**, 2422-2424 (1998).
- 207) K. Morihira, T. Nishimori, H. Kusama, Y. Horiguchi, I. Kuwajima, and T. Tsuruo, "Synthesis of C-Ring Aromatic Taxoids and Evaluation of their Multi-Drug Resistance Reversing Activities", *Bioorg. Med. Chem. Lett.*, **8**, 2973-2976 (1998).
- 208) K. Morihira, T. Nishimori, H. Kusama, Y. Horiguchi, I. Kuwajima, and T. Tsuruo, "Synthesis and Evaluation of Artificial Taxoids with Antitumor and Multi-Drug Resistance Reversing Activities", *Bioorg. Med. Chem. Lett.*, **8**, 2977-2982 (1998).
- 209) K. Morihira, R. Hara, S. Kawahara, T. Nishimori, N. Nakamura, H. Kusama, and I. Kuwajima, "Enantioselective Total Synthesis of Taxol", *J. Am. Chem. Soc.*, **120**, 12980-12981 (1998).
- 210) H. Mizuno, K. Domon, K. Masuya, K. Tanino, and I. Kuwajima, "Total Synthesis of (-)-Coriolin", *J. Org. Chem.*, **64**, 2648-2656 (1999).
- 211) R. Hara, T. Furukawa, H. Kashima, H. Kusama, Y. Horiguchi, and I. Kuwajima, "Enantioselective Total Synthesis of (+)-Taxusin", *J. Am. Chem. Soc.*, **121**, 3072-3082 (1999).
- 212) H. Kusama, K. Morihira, T. Nishimori, T. Nakamura, and I. Kuwajima, "Cope Rearrangement of $\Delta^{3,8}$ -Taxane Tricarboycles: Remarkable Solvent Effect on Product Distribution", *Tetrahedron Lett.*, **40**, 4235-4238 (1999).
- 213) K. Masuya, K. Tanino, and I. Kuwajima, "A New Method for the Synthesis of Medium- and Large-Sized Carbocycles", *Synlett*, 647-649 (1999).
- 214) N. Watanabe, K. Tanino, and I. Kuwajima, "An Efficient Method for Bicyclic Enone Synthesis", *Tetrahedron Lett.*, **40**, 8133-8136 (1999).
- 215) H. Kusama, R. Hara, S. Kawahara, T. Nishimori, H. Kashima, N. Nakamura, K. Morihira, and I. Kuwajima, "Enantioselective Total Synthesis of (-)-Taxol", *J. Am. Chem. Soc.*, **122**, 3811-3820 (2000).
- 216) Y. Egami, M. Takayanagi, K. Tanino, and I. Kuwajima, "Regiocontrolled Ring Opening Reactions of a Cyclic Acetal", *Heterocycles*, **52**, 583-586 (2000).
- 217) K. Tanino, T. Shimizu, M. Miyama, and I. Kuwajima, "A Novel [5 + 2] Cycloaddition Reaction Using a Dicobalt Acetylene Complex", *J. Am. Chem. Soc.*, **122**, 6116-6117 (2000).
- 218) T. Shimizu, K. Tanino, and I. Kuwajima, "An Intramolecular Hetero Diels-Alder Reaction of α -(Alkynylsiloxy)aldimine Derivatives", *Tetrahedron Lett.*, **41**, 5715-5718 (2000).
- 219) I. Kuwajima and H. Kusama, "Synthetic Studies on Taxoids: Enantioselective Total Synthesis of (+)-Taxusin and (-)-Taxol", *Synlett*, 1385-1401 (2000).
- 220) D. Takano, T. Nagamitsu, H. Ui, K. Shiomi, Y. Yamaguchi, R. Masuma, I. Kuwajima, and S. Omura, "Absolute Configuration of Nafuredin, A New Specific NADH-Fumarate Reductase Inhibitor", *Tetrahedron Lett.*, **42**, 3017-3020 (2001).
- 221) D. Takano, T. Nagamitsu, H. Ui, K. Shiomi, Y. Yamaguchi, R. Masuma, I. Kuwajima, and S. Omura, "Total Synthesis of (+)-Nafuredin, A Selective NADH-Fumarate Reductase Inhibitor", *Org. Lett.*, **3**, 2289-2291 (2001).
- 222) T. Sunazuka, M. Handa, K. Nagai, T. Shirahata, Y. Harigaya, K. Otaguro, I. Kuwajima, and S. Omura, "The First Total Synthesis of (\pm)-Arisugacin A, a Potent, Orally Bioavailable Inhibitor of Acetylcholine Esterase", *Org. Lett.*, **4**, 367-369 (2002).

- 223) T. Hirose, T. Sunazuka, T. Shirahata, D. Yamamoto, Y. Harigaya, I. Kuwajima, and S. Omura, "Short Total Synthesis of (+)-Madindoline A and B", *Org. Lett.*, **4**, 501-503 (2002).
- 224) T. Sunazuka, T. Shirahata, K. Yoshida, D. Yamamoto, Y. Harigaya, T. Nagai, H. Kiyohara, H. Yamada, I. Kuwajima, and S. Omura, "Total Synthesis of Pinellic Acid, a Potent Oral Adjuvant for Nasal Influenza Vaccine. Determination of the Relative and Absolute Configuration", *Tetrahedron Lett.*, **43** 1265-1268 (2002).
- 225) K. Tanino, K. Ohnuki, K. Asano, M. Miyashita, T. Nakamura, Y. Takahashi, and I. Kuwajima, "Total Synthesis of Ingenol", *J. Am. Chem. Soc.*, **125**, 1498-1500 (2003).
- 226) T. Shirahata, T. Sunazuka, K. Yoshida, D. Yamamoto, Y. Harigaya, T. Nagai, H. Kiyohara, H. Yamada, I. Kuwajima, and S. Omura, "Total Synthesis and Adjuvant Activity of All Stereoisomers of Pinellic Acid", *Bioorg. Med. Chem. Lett.*, **13**, 937-941 (2003).
- 227) T. Nagamitsu, D. Takano, K. Shiomi, H. Ui, Y. Yamaguchi, R. Masuma, Y. Harigaya, I. Kuwajima, and S. Omura, "Total Synthesis of Nafuredin- γ , a γ -Lactone Related to Nafuredin with Selective Inhibitory Activity against NADH-fumarate Reductase", *Tetrahedron Lett.*, **44**, 6441-6444 (2003).
- 228) N. Arai, N. Chikaraishi, M. Ikawa, S. Omura, and I. Kuwajima, "Enantioselective Preparation of Asymmetrically Protected 2-Propanoyl-1,3-propanediol Derivatives: Toward the Total Synthesis of Kazusamycin A", *Tetrahedron: Asymmetry*, **15**, 733-741 (2004).
- 229) T. Sunazuka, M. Honda, K. Nagai, T. Shirahata, Y. Harigaya, K. Otaguro, I. Kuwajima, and S. Omura, "Absolute Stereochemistries and Total Synthesis of (+)-Arisugacins A and B, Potent, Orally Bioactive and Selective Inhibitors of Acetylcholinesterase", *Tetrahedron*, **60**, 7845-7859 (2004).
- 230) T. Nagamitsu, D. Takano, T. Fukuda, K. Otaguro, I. Kuwajima, Y. Harigaya, and S. Omura, "Total Synthesis of (-)-Borrelidin", *Org. Lett.*, **6**, 1865-1867 (2004).
- 231) N. Arai, N. Chikaraishi, S. Omura, and I. Kuwajima, "First Total Synthesis of Antitumor Compound (-)-Kazusamycin A and Absolute Structure Determination", *Org. Lett.*, **6**, 2845-2848 (2004).
- 232) T. Sunazuka, K. Yoshida, N. Kojima, T. Shirahata, T. Hirose, M. Honda, D. Yamamoto, Y. Harigaya, I. Kuwajima, and S. Omura, "Total Synthesis of (-)-Physovenine from (-)-3 α -Hydroxyfuroindoline", *Tetrahedron Lett.*, **46**, 1459-1461 (2005).
- 233) S. Zhou, H. Chen, W. Liao, S.-H. Chen, G. Li, R. Ando, and I. Kuwajima, "A Practical Synthesis of (-)-Kazusamycin A", *Tetrahedron Lett.*, **46**, 6341-6344 (2005).
- 234) N. Arai, H. Ui, S. Omura, and I. Kuwajima, "Studies toward the Total Synthesis of GKK-1032A₂, a Structurally Unique Antitumor Compound: Stereoselective Construction of the Basic Carbon Skeleton", *Synlett*, 1691-1694 (2005).
- 235) T. Sunazuka, T. Shirahata, S. Tsuchiya, T. Hirose, R. Mori, Y. Harigaya, I. Kuwajima, and S. Omura, "A Concise Stereoselective Route to the Indoline Spiroaminal Framework of Neoxaline and Oxaline", *Org. Lett.*, **7**, 941-3 (2005).
- 236) I. Kuwajima and K. Tanino, "Total Synthesis of Ingenol", *Chem. Rev.*, **105**, 4661-4670 (2005).
- 237) T. Hirose, T. Sunazuka, D. Yamamoto, N. Kojima, T. Shirahata, Y. Harigaya, I. Kuwajima, and S. Omura, "Determination of the Absolute Stereochemistry and Asymmetric Total Synthesis of Madindolines A and B: A Practical Improvement to a Second-Generation Approach from the First Generation", *Tetrahedron*, **61**, 6015-6039 (2005).

- 238) R. Ando, Y. Amano, H. Nakamura, N. Arai, and I. Kuwajima, "Design, Synthesis, and Evaluation of Novel Kazusamycin A Derivatives as Potent Antitumor Agents", *Bioorg. Med. Chem. Lett.*, **16**, 3315-3318 (2006).
- 239) T. Shirahata, T. Sunazuka, K. Yoshida, D. Yamamoto, Y. Harigaya, I. Kuwajima, T. Nagai, H. Kiyohara, H. Yamada, and S. Omura, "Total Synthesis, Elucidation of Absolute Stereochemistry and Adjuvant Activity of Trihydroxy Fatty Acids", *Tetrahedron*, **62**, 9483-9496 (2006).
- 240) T. Nagamitsu, D. Takano, K. Marumoto, F. Fukuda, K. Ootoguro, K. Takeda, I. Kuwajima, Y. Harigaya, and S. Omura, "Total Synthesis of Borrelidin", *J. Org. Chem.*, **72**, 2744-2756 (2007).