

Supporting Information

ISOCOUMARINS FROM THE BARK OF *LINDERA CAUDATA*

**Yan-qing Ye,¹ Cong-Fang Xia,¹ Juan-Xia Yang,¹ Yu-Chun Yang,¹ Xue-Mei Gao,¹
Gang Du,¹ Hai-Ying Yang,¹ Yin-Ke Li,^{1,2,*} Qiu-Fen Hu^{1,*}**

¹ Key Laboratory of Chemistry in Ethnic Medicinal Resources, State Ethnic Affairs Commission & Ministry of Education, Yunnan Minzu University, Kunming 650031, P.R. China; ² Collge of Resource and Environment, Yuxi Normal University, Yuxi 653100, P. R. China. E-mail: yinkli609@163.com; huqiufena@aliyun.com.

Contents of Supporting Information

No.	Contents:	Pages:
Figure S1-S4	^{13}C NMR, ^1H NMR, HSQC, and HMBC spectra of compound (1)	3-6
Figure S5- S7	^{13}C NMR and ^1H NMR spectra of compound (2)	7-8
Figure S8- S9	^{13}C NMR and ^1H NMR spectra of compound (3)	9-10

Figure S1. ¹³C NMR spectra of caudacoumarin A (**1**)




Figure S2. ^1H NMR spectra of caudacoumarin A (1)




Figure S3. HSQC spectra of caudacoumarin A (1)




Figure S4. HMBC spectra of caudacoumarin A (**1**)




Figure S5. ^{13}C NMR spectra of caudacoumarin B (**2**)




Figure S6. ¹H NMR spectra of caudacoumarin B (2)




Figure S7. ¹³C NMR spectra of caudacoumarin C (**3**)




Figure S8. ^{13}C NMR spectra of caudacoumarin C

