

## *Supporting Information*

### **FLAVONOIDS FROM THE LEAVES OF SUN CURED TOBACCO AND THEIR ANTI-TOBACCO MOSAIC VIRUS ACTIVITY**

Yun Wang,<sup>1,2</sup> Chun-Bo Liu,<sup>1</sup> Qin-Peng Shen,<sup>1</sup> Feng-Mei Zhang,<sup>1</sup> Pei He,<sup>1</sup> Zhi-Hua Liu,<sup>1</sup> Hong-Bin Zhang,<sup>2</sup> Xiao-Dong Yang,<sup>2</sup> Ming-Ming Miao,<sup>1,\*</sup> Guang-Yu Yang<sup>1,\*</sup>

<sup>1</sup>Key Laboratory of Tobacco Chemistry of Yunnan Province, China tobacco yunnan industrial Co., Ltd, Kunming 650231, P.R. China; <sup>2</sup>School of Chemical Science and Technology, Yunnan University, Kunming 650091, P.R. China; E-mail: [miaomm2014@163.com](mailto:miaomm2014@163.com); ygy1110@163.com

## Contents of Supporting Information

No.	Contents:	Pages:
Figure S1-S2	<sup>13</sup> C NMR and <sup>1</sup> H NMR spectra of 4',6-dihydroxy-7,8-dimethoxyisoflavone ( <b>1</b> )	3-4
Figure S3-S4	<sup>13</sup> C NMR and <sup>1</sup> H NMR spectra of 8-acetyl-4'-hydroxy-7-methoxy-6-methylflavone ( <b>2</b> )	5-6

Figure S1  $^{13}\text{C}$  NMR spectrum of 4',6-dihydroxy-7,8-dimethoxyisoflavone (**1**)




Figure S2 <sup>1</sup>H NMR spectrum of 4',6-dihydroxy-7,8-dimethoxyisoflavone (1)




Figure S3 <sup>13</sup>C NMR spectrum of 8-acetyl-4'-hydroxy-7-methoxy-6-methylflavone (2)




Figure S4 <sup>1</sup>H NMR spectrum of 8-acetyl-4'-hydroxy-7-methoxy-6-methylflavone (2)

