



## Supporting Information


### **BREVISULCATIC ACIDS FROM A MARINE MICROALGAL SPECIES IMPLICATED IN A TOXIC EVENT IN NEW ZEALAND**

Raku Irie,<sup>1</sup> Rina Suzuki,<sup>1</sup> Kazuo Tachibana,<sup>1</sup> Patrick T. Holland,<sup>2</sup>  
Tim Harwood,<sup>2</sup> Feng Shi,<sup>2</sup> Paul McNabb,<sup>2</sup> Veronica Beuzenberg,<sup>2</sup> Fumiaki  
Hayashi,<sup>3</sup> Huiping Zhang,<sup>3</sup> Masayuki Satake<sup>1\*</sup>


<sup>1</sup>Department of Chemistry, School of Science, The University of Tokyo;  
Institute, New Zealand; <sup>3</sup>RIKEN Center for Life Science Technology, Japan

E-mail:msatake@chem.s.u-tokyo.ac.jp







ÔUÛYÁ -Ái^çã ~ |&œãÁ&ãÉ ÁÖÖ,UÖËÍ ÁÔÊÊ €Á P: DÁ




PUÛÔÁ Á|^çã ~ |&œÁ&ã Ę ÁÇÖ\_HÜÖŦÍ ÁÔÂ €Á P: DÁ



PT ÓÓÁ Áí^çã | &ccÁ&ãÉ ÁÖÖ\_HÜÖÉÍ ÁÖÄ €Á P: DÁ



1H NMR (600 MHz, CDCl<sub>3</sub>) spectrum of the compound. The x-axis is labeled [ppm] and the y-axis is labeled [rel]. The spectrum shows several peaks, including a sharp singlet at approximately 7.2 ppm, a doublet at 5.5 ppm, a doublet at 4.8 ppm, a singlet at 3.5 ppm, a multiplet at 2.5 ppm, a multiplet at 1.8 ppm, a triplet at 1.2 ppm, and a reference peak at 0 ppm (TMS).



FPÁ T Ü Á ] ^ & c { Á - Á i ^ c ā | & e e Á & e e Á C Ö H U Ö E G Á Ô , 600 MHz D Á