

Supporting Information

THREE NEW ANTI-ROTAVIRUS **S QUINOLINEE ALKALOIDS FROM THE WHOLE
PLANT OF *THALICTRUM GLANDULOSISSIMUM***

**Qiu-Fen Hu,^{1,2} Fan Wu,¹ Ya-Ning Zhu,¹ Lu Liu,¹ Ming-Xin Liu¹, Bing-Biao Cai², Man-Fei Li¹,
Dong Miao,¹ Min Zhou,^{1,*} and Guang-Yu Yang,^{1,2*}**

¹ Key Laboratory of Chemistry in Ethnic Medicinal Resources, Yunnan Minzu University, Kunming 60500, P. R. China. E-mail: zhouminynun@163.com; ² Key Laboratory of Tobacco Chemistry of Yunnan Province, China Tobacco Yunnan Industrial Co., Ltd, Kunming 650231, P.R. China, E-mail: ygy1110@163.com.

Contents of Supporting Information

No.	Contents:	Pages:
Figure S1-S4	¹³ C NMR, ¹ H NMR, HSQC, and HMBC spectra of 4-acetyl-6-methyl-7-(3-methyl-2-oxobut-3-enyl)-quinoline-2(1 <i>H</i>)-one (1)	3-6
Figure S5-S6	¹³ C NMR and ¹ H NMR spectra of 4-acetyl-5-methyl-7-(3-methyl-2-oxobut-3-enyl)-quinoline-2(1 <i>H</i>)-one (2)	7-8
Figure S7-S8	¹³ C NMR and ¹ H NMR spectra of 4-acetyl-6-methyl-7-prenyl-quinoline-2(1 <i>H</i>)-one (3)	9-10

Figure S1. ^{13}C and DEPT NMR spectrum of 4-acetyl-6-methyl-7-(3-methyl-2-oxobut-3-enyl)-quinoline-2(1*H*)-one (**1**)




Figure S2. ^1H NMR spectrum of 4-acetyl-6-methyl-7-(3-methyl-2-oxobut-3-enyl)-quinoline-2(1H)-one (**1**)




Figure S3. HSQC NMR spectrum of 4-acetyl-6-methyl-7-(3-methyl-2-oxobut-3-enyl)-quinoline-2(1H)-one (**1**)




Figure S4. HMBC NMR spectrum of 4-acetyl-6-methyl-7-(3-methyl-2-oxobut-3-enyl)-quinoline-2(1H)-one (**1**)




Figure S5. ^{13}C and DEPT NMR spectrum of 4-acetyl-5-methyl-7-(3-methyl-2-oxobut-3-enyl)-quinoline-2(1H)-one (2)




Figure S6. ¹H NMR spectrum of 4-acetyl-5-methyl-7-(3-methyl-2-oxobut-3-enyl)-quinoline-2(1H)-one (2)




Figure S7. ^{13}C and DEPT NMR spectrum of 4-acetyl-6-methyl-7-prenyl-quinoline-2(1H)-one (**3**)




Figure S8. ¹H NMR spectrum of 4-acetyl-6-methyl-7-prenyl-quinoline-2(1H)-one (3)

