

Concise semi-synthesis of a flavone glycoside from marine


angiosperm *Halophila johnsonii*

Lisha Wu^a, Shiqiang Yan^{a, b, *}, Limei Huang^a


^a Weihai Ocean Vocational College, Weihai 264300, China

^b Shandong Dyne Marine Biopharmaceutical Co., Ltd., Weihai, 264300, China


* Corresponding author. E-mail addresses: ysqiang711@126.com




¹H NMR spectrum of compound **3** (400 MHz, DMSO-d₆)




¹³C NMR spectrum of compound **3** (125 MHz, DMSO-d₆)




¹H NMR spectrum of compound **4** (400 MHz, DMSO-d₆)




¹³C NMR spectrum of compound **4** (125 MHz, DMSO-d₆)




^1H NMR spectrum of compound **5** (400 MHz, DMSO- d_6)




^{13}C NMR spectrum of compound **5** (150 MHz, DMSO- d_6)




^1H NMR spectrum of compound **6** (400 MHz, DMSO- d_6)



^{13}C NMR spectrum of compound **6** (150 MHz, DMSO- d_6)



^1H NMR spectrum of compound **1** (400 MHz, DMSO-d₆)



^{13}C NMR spectrum of compound **1** (150 MHz, DMSO-d₆)